INVESTIGATION OF THE FLOW OF AIR IN PIPES

BY
E. L. CANMAN
N. F. KIMBALL

ARMOUR INSTITUTE OF TECHNOLOGY

1912

INVESTIGATION OF THE FLOW OF AIR IN PIPES

A THESIS

PRESENTED BY

ELMER LUCIUS CANMAN

NORMAN FRANK KIMBALL

TO THE

PRESIDENT AND FACULTY

OF

ARMOUR INSTITUTE OF TECHNOLOGY

FOR THE DEGREE OF

BACHELOR OF SCIENCE IN MECHANICAL ENGINEERING

HAVING COMPLETED THE PRESCRIBED COURSE OF STUDY IN

MECHANICAL ENGINEERING

MAY 29, 1912

L. C. Monin — Dean of Cult. Studies
G. M. Raymond — Dean of Eng. Studies

Rec'd 5/29/12

INVESTIGATION
OF
THE FLOW OF AIR IN PIPES

****

Written and Presented

By

Elmer L. Carpman
Norman F. Kimball

TABLE OF CONTENTS

INVESTIGATION OF THE FLOW OF AIR IN PIPES.

The subject of the "Flow of Air in Pipes" has herein been presented together with a brief discussion of the Pitot tube and its application in connection with this treatise.

The Pitot tube is an instrument used for measuring the velocity of fluids in motion. It is simply a tube bent so that a short leg extends into the current of fluid flowing from a tube , with the plane of the entering orifice opposed at right angles to the direction of the current. The pressure caused by the impact of the current is transmitted through the tube to a pressure guage of any kind , such as a column of water or of mercury or a spring gauge. From the pressure thus indicated and the known density and temperature of the flowing gas the head corresponding to the pressure is obtained and from this the velocity. The formula for the Pitot tube is

$$V = K\sqrt{2gH}$$

in which

V = velocity of the current in feet per second

H = the head in feet of the fluid corresponding to the pressure measured by the tube.

K = an experimental coefficient.

K = unity when the plane at the point of the tube is exactly at right angles with the direction of the current and when the static pressure is correctly measured.

As early as 1886 Prof. S. W. Robinson made experiments with Pitot tubes to determine the value of the constant K and the variation of this constant with the change in the form of the tip. Prof. Robinson used Pitot tubes of ,065 inches , .25 inches , and .4375 inches in diameter with sharp edged tips and found the constant to be practically unity.

Mr. John R. Freeman in 1889 carefully constructed a Pitot tube .006 inches in internal diameter and .017 inches in external diameter with a blunt tip. He used it in the measurement of the velocity of water from a fire engine nozzle under a pressure of fifty pounds per square inch. He found the constant to be unity within one per cent certainly and probably within one quarter

of one per cent.

In 1904 Messrs. Boyd and Judd carried on similar experiments along this same line. The Pitots which they used are shown in Plate I. They had their first tubes made out of seamless copper tubing three sixteenths of an inch in outside diameter and one eighth of an inch inside diameter. One of these is shown complete at e and the tips of two others at f and g. The one shown at e had the end finished square , f was bell mouthed and g was tapered on the inside. In each the plane of the tip was made normal to the axis of the end of the tube as nearly as could be determined by a machinist's square. In each case the height of the column connected to the Pitot tube were the same as the static head within .002 feet. Tips a and b were tried with the same results.

They next tried a pair of Pitottubes made of glass tubing .162 inches inside diameter and .266 inches outside diameter. One of these c was made by filing the full size tube as

nearly normal to the axis as possible while for d the tube was drawn down to an outisde diameter of .011 inches and .007 inches. These tubes gave exactly the same reading as the static head.

The tube shown at J was made of a brass rod in which a hole .040 inches in diameter was drilled and the end turned to a taper having a very sharp edge at the mouth. This rod was soldered into the end of a piece of three sixteenths inch tubing forming the rest of the Pitot. This tube gave readings .005 of a foot lower than the static head.

The tube shown at h was made of a piece of one sixteenth inch copper tubing of one thirty-second inch bore. This was soldered in a piece of one eighth inch tubing which in turn was fastened to a piece of three sixteenth inch tubing. I was made in the same way but the end was flattened reducing the horizontal inside diameter to .012 inches while the vertical inside

dimension was increased to .047 inches. Both gave readings equal to the static heads. As a result from their experiments Messrs. Boyd and Judd calculated the value of the constant k as .993.

Other experimenters , however , have obtained quite different results. It has been calimed that the pressure in a Pitot tube may be v^2/g instead of $v^2/2g$. The reason for this is found in the fact that a stream of fluid striking a surface sufficiently large to destroy all its motion in the original direction exerts a pressure on the surface equal to v^2/g times the area of the stream. When the area of such a surface is diminished , only a part of the original velocity is destroyed and the total pressureis corresponding y reduced. The change of velocity normal to this surface of the mass of fluid which flows past any section in a unit time , while it forms a part of the column having the surface as its base determines this pressure.

It is easy to see that a continuous stream striking normally on a plane surface equal to its cross section cannot be reflected parallel to that surface for as soon as its normal velocity is diminished its cross section is increased and part of the fluid is pushed out of the column having the surface as its base. Consequently the pressure in a Pitot tube can never be as much as v^2/g.

Plate II shows the type of Pitot tube which Mr. D. W. Taylor adopted. It consists of a double tube. The common axis is placed parallel to the direction of the flow of the air or parallel to the center line of the pipe. The outer tube has longitudinal slots in it through which the pressure in the flowing current of air reachs the annular space between the inner and outer tubes. This space being connected with a pressure recording device , the pressure in a moving current of air can be determined. In front of the inner tube the air is brought to rest and the pressure in

this inner tube is also determined by a manometer or pressure recording device.

Mr. W. M. White in an article in the American Machinist states that he has made experiments which settle the dispute relative to the value of the constant k in the formula $v = k\sqrt{2gH}$. He claims that the value of this constant can be taken as unity and dropping of this constant from the formula is perfectly justifiable.

The arrangement of the apparatus as used by Mr. White is shown in Plates III and IV. The Pitot is at a , Figure I , where it is fitted to the riser pipe b which passes through a stuffing box in the penstock. The inner end of the riser pipe is guided by a cross bar within the penstock and the outer end by supports d and e , which with the inner guides , are at right angles to the axis of the pipe in order that the Pitot tube may be parallel to it. A clamp c permits adjusting the tube to any part of the penstock diameter. Support e is graduated

as shown , the extreme range of graduations being the diameter of the penstock. The graduations increase in fineness as the ends are approached to allow for the increased area value of a given diameter increment near the ends. The upper end of the riser pipe has an air cock f and a rubber tube connection g to the gauge board h , shown in Plate IV. Here also are shown the arrangements for taking the static pressure readings at four points in the circumference of the penstock.

It will be seen that by adjusting the clamp c to the different divisions of its support , the Pitot tube may be set to any point in the diameter of the penstock and the reading can be quickly taken.

In the December 21st 1905 issue of the Engineering News , Mr. R. Burnahm , former professor of experimental engineering at the Armour Institute of Technology , describes a Pitot tube used by Messrs. Dreffein and McBurney in a series of experiments.

The tube is shown in Plate V. It consists of two brass tubes , one within the other , the inner tube , three sixteenths of an inch in outside diameterand one thirty-second of an inch thick , forming the velocity tube . The outer or pressure tube is made of three eighths inch tubing , one thirty-second of an inch in thickness , provided with a slot , 1/16 by 1-1/4 on the under side of the horizontal portion , for the admission of pressure. Tips of various forms may be attached to the velocity tube , but in the present case the ones shown were used. As a matter of fact it was demonstrated that the form of tip , within quite wide limits , makes no appreciable difference in the indications of the tubes. The pressures exerted were transmitted through rubber tubing , attached at B and G , to opposite sides of sensitive manometers. The arrangement of the tubes in the stuffing box , as shown , permits a longitudinal movement , and also some lateral adjustment , in the event of the hole in the

pipe not being tapped exactly perpendicular to the axis. The position of the tube with reference to the center of the pipe is indicated on a graduated scale , by the pointer T.

Mr. Burnham also devised the following method for determining the theoretical mean velocity. Referring to Print No 1 let the circle of radius R represent the cross sectional area of the pipe. Construct the right triangle OAB so that the base OB is equal to R and the altitude BA equal to $2\pi R$. This makes the area of the triangle which is πR^2 , equal to the area of the circle. The area of any annular ring of radius r and width dr can be represented as shown by a vertical lamina whose area we obtain by subtracting the area of the circle whose radius is r + dr from the area of the circle whose radius is r. This gives us for the area of the lamina $2\pi rdr - \pi dr^2$. If the velocity of the gas were the same in all points of the cross section of the pipe the quantity flowing through the pipe in a unit time would be equal to the product of

the area AOB and the velocity. However , the velocity is not uniform and varies with the distance from the center of the circle. Still it may be considered practically the same through a ring whose width is only dr. Hence from calculus we know that we can obtain the volume flowing by taking the summation , throughout the section , of all the products ,

$$v' (2rdr\pi + dr^2) + v^2(2\pi rdr + dr^2) \text{ etc.} = \pi VR^2.$$

where V' , v^2, etc. are the theoretical velocities as obtained from the Pitot tube readings at radii r and r etc. and V equals the theoretical mean velocity.

This is laid off graphically in the following manner. Lay off these velocities as v'=BG in any convenient scale on the altitude AB. The intersection of OG and the ordinate erected at the extremity of the radius r determines the point P , on the curve OSFH. In a similar manner the other points are found. It can therefore be shown that the quantity of gas flowing per unit of time is proportional to the area

under the curve. The mean velocity is found by constructing the triangle BOF equal to the area under the curve , whence the line BF is proportional to the theoretical mean velocity and the intersection S determines the mean velocity radius. If BE is laid off proportional to the actual mean velocity , as found by dividing the flow in cubic feet per second by the area of the pipe , then BEO/BFO is the value of the constantK in the equation $V = K\sqrt{2gH}$. Since these relations hold whatever scale of units are adopted the H may be plotted instead of the computed velocity.

The following extract was taken from a paper read before the American Society of Mechanical Engineers by Mr. Frank H. Kneeland. "To obtain the avrage velocity existing in a pipe from the use of a Pitot tube , recourse may be made to two methods. The first of these is to divide the diameter of the pipe into a given number of equal parts and take one or more readings at each division point. The average velocity would then be considered as the average

of the different velocities obtained at the several points of division. It will be readily seen that this average is not strictly true , since the outer rings of the cross section are of equal width with the inner ones , consequently, they are unequal in area , yet all were given equal weight in calculations. The second , and better method , is to divide the cross section of the pipe into a given number of equal areas and place the dynamic nozzle of the tube in the center of gravity , so to speak, of the circle to be tested".

Messrs. Williams , Hubbell , and Fenkell used the Pitot tube in experimenting with the flow of water pipes. The tubes which they used are shown in Plates VI , VII , and VIII. Tube No 1 was made of brass and was the first one built. It was used in some preliminary investigations upon a twelve inch pipe. Tube No 2 was made from No 1 by measuring the size of the interior pipe connecting to the pressure opening to avoid the possibility of the loss of

head in the small internal pipe affecting the reading of the gauge. Both these tubes had , as shown , a single pressure opening in the bottom.

Although the results obtained from these tubes were very satisfactory , it was thought that better results could be obtained with the form represented by No 3. In this tube there were four pressure openings located ninety degrees apart and forty-five degrees from the knife edge , around the sides of the bulb in the point of which was the impact opening. The bulb formed an equalizing chamber to the four pressure openings.

Tube No 5 was made from Tube No 2 by plugging the original pressure opening and drilling , at right angles to its axis and to that of the impact opening , a hole entirely across the instrument connecting with the original pressure tube , and filing away the heel of the instrument.

Tubes A, B, and C were as nearly alike as a skilled workman could make them. Tube D was

was built for use in a very small pipe and it is quite similar to Tube No 5 , except that its lines are finer and the impact opening cuts away the knife edge , causing it to appear notched in the side view. It also has a down-stream opening which was not used. Tube E was designed for similar use , and contains only an impact opening , the pressures being supplied from piezometers in the side of the pipe. Its impact opening is very similar to those of Tubes A, B, and C but very much smaller.

In conducting this experiment the apparatus was set up as shown in Plates X and XI. The source of air supply was a motor driven centrifugal blower with a duct sixteen feet long and twelve inches in diameter. To insure constant speed of the blower , a voltmeter and a carbon plate rheostat were inserted across the main line to the motor , and by regulating the resistance constant voltage was mai tained. The blower was driven at four speeds fro each pipe respectively , starting with a low speed , then two

intermediate , and lastly the maximum speed which the motor was capable of driving it.

The pipes , of which there were eleven , ranged in diameters from two and one half inches to eleven inches and were symmetrical with respect to length and location of Pitot and static pressure tubes. Each of the pipes was equipped with a flange F and static pressure tube T as shown on Print No 2. A cross section of this flange is shown in Print No 3 and a cross section of the static tube in Print No 4.

It is easily understood from Print No 4 how the average static pressure is obtained. A is a copper tube of about one eighth of an inch in internal diameter and soldered to the pipe in the four places as shown by the light portions near the arrows. Through the pipe , solder , and the inner side of the tube were drilled four small holes and through these holes the pressure was transmitted to the nozzle N. A rubber tube connected this nozzle to an Elison Differential Draft gauge by means of which

this pressure was read directly in inches of water.

In Print No 3 is shown a cross section of the apparatus used to guide and support the Pitot tube. F is a saddle flange , one of which was soldered to each pipe and was nearly the same size as shown in the figure. The knuckle joint E contained the guide tube H which was not removed while the Pitot was being moved from one pipe to another. The thumb screw D was used to clamp the guide tube to the knuckle joint , thus preventing the nose of the Pitot tube from being thrown out of line. The guide collar c guided the Pitot tube across the true diameter of the pipe and was soldered to the inside of the end of the guide tube. The set collar A was fitted loosely to the inside of the guide tube and could be clamped to the Pitot tube in any desired position by means of a small set screw. The guide tube H consisted of a brass tube five-sixteenths of an inch in internal diameter and eighteen inches long with a milled slot in one side. This tube supported

the weight of the rubber tubing and insured against the damaging of the frail Pitot tube. The sides of the slot were graduated in one eighth of an inch divisions and by means of a mark on the index collar , the height of the Pitot from the bottom of the pipe could be ascertained.

The Pitot tube was made of nickel tubing one sixteenth of an inch in diameter and about eighteen inches in length. The nose or portion whose axis was parallel to the center line of the pipe , when placed in position , was two and one half inches long and was neatly soldered at right anglesto the end of the longer portion of the tube. To the upper end of the Pitot tube was soldered a small nozzle , similar to that of the pressure tube , onto which was slipped the rubber tubing leading to another differential draft gauge. This nozzle was of such diameter that when fitted with the rubber tubing there was enough friction between the rubber end and the

guide tube to support the Pitot tube in any desired position.

As each pipe was tested it was first fitted into an orifice plate and this plate was fastened by means of studs to the blower duct so that the axis of the pipe coincided with the axis of the duct. After inserting the Pitot tube as shown in Print 3 , the screw D and the screw fastening the index collar A to the tube were unloosened allowing the tube to be lowered until its nose rested on the bottom of the pipe. The nose was then adjusted parallel to the axis of the pipe and the screw D was tightened. The index collar A was then adjusted until the mark on it coincided with a convenient one on the guide tube and it was then securely fastened to the Pitot tube by means of the set screw.

The reading of the static head was taken once for each speed , while the dynamic head was taken for every eighth point within one and one half inches of the sides of the

pipe and at every quarter in between while the Pitot was traversing the diameter of the pipe.

In order to calculate the velocity of the air it is necessary to convert the gauge readings which are in inches of water to feet of air. Now if the air is only partially saturated the ratio of the weight of water present to that required for complete saturation at that given temperature and pressure is called the relative humidity. The latter also represents the ratio of the existing vapor tension to the maximum tension at that temperature. The degree of saturation or relative humidity is determined from the difference in reading of a wet and dry bulb thermometer , thus : If the air is completely saturated no evaporation takes place from the wet bulb and the two thermometers give identical readings ; but if it is unsaturated , evaporation takes place , the wet bulb thermometer is cooled and its reading is lower than that of the dry bulb. The difference in reading is a function of the relative humidity

and the latter is calculated by means of the following form or modification of Apjohn's formula :

$$h = (P_w - \frac{d\ P}{2640}) \frac{100}{P_d}$$

in which

h = relative humidity , per cent

d = difference in reading of the wet and dry thermometers , degrees Fahrenheit

P = barometric pressure , inches of mercury

P_w = maximum tension of aqueoue vapor corresponding to the temperature of the wet thermometer , inches of mercury

P_d = maximum tension of aqueous vapor corresponding to the temperature of the dry thermometer , inches of mercury

Having found the realtive humidity or the per cent of saturation , the pressure inside the tube is found. The pressure inside the tube is equal to the barometric pressure minus the static pressure divided by 13.6. From the tables we find the pounds of water vapor per pound of air at the temperature of the dry bulb

and then we reduce this to the per cent of saturation.

From Boyle's Law :-

$$p'v' \div T_1 = p_2 v_2 \div T_2$$

in which

p' = standard barometric pressure

p_2 = pressure inside the tube

v' = volume of gas at temperature T_1

v_2 = volume of gas at temperature T_2

T_1 = standard absolute temperature

T_2 = absolute temperature of the air

$$v_2 = p'v' T_2 \div p_2 T_1$$

Having determined v_2 we multiply it by the weight of one cubic foot of water at that temperature and divide by twelve. To this result we multiply the pounds of water vapor per pound of air at the given temperature and humidity added to one. This final result is equivalent to an inch of water and is used to reduce inches of water to feet of air. The velocity is found from the equation $V = K\sqrt{2gH}$.

As an illustration let us take Run

No 1 made on April , 10 , 1911.

Barometer = 29.41

Wet Bulb Thermometer = 70

Dry Bulb Thermometer = 86

Difference in Temperature = 16

Static Head = .01

Pressure inside the Tube

$$29.41 - \frac{.01}{13.6} = 29.40$$

P = 29.40

P_w = .739

P_d = 1.25

d = 16

$$h = \left(.739 - \frac{16 \times 29.40}{2640} \right) \frac{100}{1.25} = 44.88\%$$

Pounds of water vapor per pound of air at 86 degrees Fahr. , and 44.88% saturated = .0122

Conversion of inches of water to feet of air

p' = 29.92

p_2 = 29.40

v' = 11.58

T_1 = 460

$T_2 = 546$

$V_2 = 29.92 \times 11.58 \times 546 \div 29.409 \times 460$

$= 13.96$

Inches of water to feet of air :-

$$\frac{62.17 \times 13.96}{12} \times 1.0122 = 73.2$$

Equivalent of one inch of water = 73.2

In this manner the results were obtained as shown on the data sheets. Curves 1 to 11 inclusive show the relation between the actual velocity and the diameter of the tubes in inches. Curves 12 to 55 inclusive are curves plotted according to Mr Burnham's method of finding the mean velocity radius.

PLATE I



PLATE II

EXPERIMENTAL MODEL BASIN

PITOT TUBE

FOR

DETERMINING AIR VELOCITIES.



PLATE III


Center Line
Line of Sight
Carpenter's Square
Center Line
Direction of Flow
Average Diameter of Pendock

PLATE IV



PLATE V



Fig. 1. Section Through Pitot Tube and Stuffing Box, Used on Gas Main.

PLATE VI



PLATE VII



PL..TE VIII



PLATE IX



FIG. 24

PLATE X



PLATE XI



PRINT NO 1



PRINT NO 2



PRINT NO 3



PRINT NO 4



CURVE NO 1


RUN NO 1
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
80
40
20
10
0
1/4
2 1/2
3 1/2
5
6 1/4
7 1/2
8 3/4
10

CURVE NO 2


RUN NO 2
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
0
10
20
40
50
60
1/4
2 1/2
3 3/4
5
6 1/4
7 1/2
8 3/4
10

CURVE NO 3


RUN NO 3
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
90
70
50
30
20
0
Diameter
1¼
2½
3¾
5
6¼
7½
8¾

CURVE NO 4


RUN NO 4
4th. Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
90
70
50
30
20
0
1
2
3
4
5
6
7

CURVE NO 5


RUN NO 5
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
0
1
2
3
4
5
6
7
20
40
60
80
100

CURVE NO 6


RUN NO 6
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
90
80
70
60
50
40
30
20
0
1
2
3
4
5
6

CURVE NO 7


RUN NO 7
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
90
80
70
60
50
40
20
0
1
2
3
4
5

CURVE NO 8


RUN NO 8
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
90
80
70
60
50
40
30
20
0
1
2
3
4

CURVE NO 9


RUN NO 4
4th Speed
3rd Speed
2nd Speed
1st Speed
Velocity
Diameter
90
80
70
60
50
40
30
20
0
1
2
3

CURVE NO 10


RUN NO 10
4th Speed
3rd Speed
2nd Speed
1st Speed
Diameter
Velocity
90
80
70
60
30
0
1
2
3

CURVE NO 11


RUN NO 11.
4th Speed
3rd Speed
2nd Speed
1st Speed
Diameter
90
70
50
30
Velocity

CURVE NO 12



CURVE NO 13



CURVE NO 14



CURVE NO 15



CURVE NO16



CURVE NO 17



CURVE NO 18



CURVE NO 19



CURVE NO 20



CURVE NO 21



CURVE NO 22



CURVE NO 23



CURVE NO 24



CURVE NO 25



CURVE NO 26



CURVE NO 27



CURVE NO 28



CURVE NO 29



CURVE NO 30



CURVE NO 31



CURVE NO 32



CURVE NO 33



CURVE NO 34



CURVE NO 35



CURVE NO 36




RUN NO 7
2nd Speed
6
5
4
3
Velocity Head
Radius
2
1½
1
½

CURVE NO 37

CURVE NO 38



CURVE NO 39



CURVE NO 40



CURVE NO 41



CURVE NO 42



CURVE NO 43



CURVE NO 44



CURVE NO 45



CURVE NO 46



CURVE NO 47



CURVE NO 48



CURVE NO 49


RUN NO 10
1st Speed
5
4
3
0
Velocity Head
Radius
1 1/2
1 1/4
1
3/4
1/2
1/4

CURVE NO 50



CURVE NO 5[illegible]



CURVE NO 52



CURVE NO 53



CURVE NO 54



CURVE NO 55



No.	No.	Distance	SPEED 1			SPEED No. 4.			
			Inches of H_2O.	Feet of air.	M vel	Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1	1/32	.15	10.52		.71	49.90	7.06	56.70
2	2	5/32	.17	11.93		.80	56.20	7.49	60.10
3	3	9/32	.21	14.75		.92	64.60	8.03	64.50
4	4	13/32	.22	15.45		1.01	71.00	8.42	67.60
5	5	17/32	.23	16.15		1.07	75.20	8.67	69.60
6	6	21/32	.24	16.85		1.09	76.60	8.75	70.25
7	7	25/32	.25	17.55		1.15	80.80	8.98	72.05

RUN No 1. 11" PIPE

No	Distance	Speed No 1. Inches of H_2O	Speed No 1. Feet of air	Speed No 1. Mean velocity	Speed No 1. $\sqrt{H}$	Speed No 2. Inches of H_2O	Speed No 2. Feet of air	Speed No 2. Mean velocity	Speed No 2. $\sqrt{H}$	Speed No 3. Inches of H_2O	Speed No 3. Feet of air	Speed No 3. Mean velocity	Speed No 3. $\sqrt{H}$	Speed No 4. Inches of H_2O	Speed No 4. Feet of air	Speed No 4. Mean velocity	Speed No 4. $\sqrt{H}$
1	1/32	.12	8.99	2.96	29.8	.19	13.91	29.90	3.72	.33	24.15	39.90	4.91	.58	42.50	52.40	6.52
2	3/32	.14	10.25	3.32	25.7	.21	15.38	31.40	3.91	.34	24.90	40.01	4.99	.57	43.20	52.50	6.57
3	5/32	.16	11.70	3.42	27.45	.26	19.05	34.81	4.34	.43	31.50	45.00	5.61	.77	56.40	60.40	7.51
4	7/32	.18	13.19	3.60	28.95	.28	20.50	36.40	4.52	.48	35.15	47.55	5.93	.87	63.70	64.10	7.98
5	9/32	.20	14.64	3.82	30.70	.31	22.70	38.20	4.76	.53	38.80	49.98	6.22	.72	67.50	66.00	8.21
6	11/32	.21	15.89	3.92	31.50	.33	24.15	39.45	4.91	.57	41.70	51.80	6.45	.98	71.50	68.00	8.47
7	13/32	.23	16.85	4.10	32.95	.34	24.90	40.10	4.99	.58	43.20	52.70	6.57	1.01	74.00	69.00	8.60
8	15/32	.23	16.85	4.10	32.95	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.06	77.60	70.60	8.80
9	1 1/32	.24	17.59	4.19	33.65	.38	27.80	42.40	5.27	.64	46.90	54.80	6.84	1.11	81.40	72.50	9.02
10	1 3/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.66	47.40	55.70	6.95	1.13	82.70	73.00	9.09
11	1 5/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.68	49.80	56.55	7.05	1.16	85.00	74.00	9.22
12	1 7/32	.27	19.77	4.44	35.65	.41	30.00	43.90	5.47	.70	51.30	57.50	7.16	1.18	86.50	74.70	9.30
13	1 9/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.70	51.30	57.50	7.16	1.19	87.10	75.00	9.33
14	1 11/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
15	1 13/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
16	1 15/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
17	1 17/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
18	1 19/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
19	1 21/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.71	52.00	57.90	7.21	1.21	88.60	75.60	9.41
20	1 23/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.70	51.30	57.50	7.16	1.20	88.00	75.40	9.38
21	1 25/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.70	51.30	57.50	7.16	1.18	86.50	74.70	9.30
22	1 27/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.69	50.50	56.90	7.09	1.17	85.70	74.30	9.25
23	1 29/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.69	49.80	56.55	7.05	1.15	84.30	73.70	9.18
24	1 31/32	.26	19.04	4.35	34.95	.40	29.30	43.50	5.41	.68	49.80	56.55	7.05	1.14	83.50	73.30	9.13
25	2 1/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.67	49.05	56.20	7.00	1.14	83.50	73.30	9.13
26	2 3/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.67	49.05	56.20	7.00	1.14	83.50	73.30	9.13
27	2 5/32	.25	18.30	4.27	34.30	.39	28.55	42.90	5.34	.67	49.05	56.20	7.00	1.13	82.70	73.00	9.09
28	2 7/32	.25	18.30	4.27	34.30	.39	28.55	42.90	5.34	.66	48.40	55.70	6.95	1.11	81.40	72.50	9.02
29	2 9/32	.25	18.30	4.27	34.30	.39	28.55	42.90	5.34	.66	48.40	55.70	6.95	1.10	80.60	72.00	8.97
30	2 11/32	.25	18.30	4.27	34.30	.38	27.80	42.40	5.27	.65	47.60	55.30	6.89	1.10	80.60	72.00	8.97
31	2 13/32	.24	17.59	4.19	33.65	.38	27.80	42.40	5.27	.64	46.90	54.80	6.84	1.09	79.80	71.70	8.93
32	2 15/32	.24	17.59	4.19	33.65	.38	27.80	42.40	5.27	.63	46.10	54.30	6.78	1.09	79.80	71.70	8.93
33	2 17/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.07	78.40	71.10	8.85
34	2 19/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.07	78.40	71.10	8.85
35	2 21/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.05	77.00	70.50	8.77
36	2 23/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.62	45.40	54.00	6.73	1.03	75.50	69.80	8.69
37	2 25/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.61	44.70	53.55	6.68	1.03	75.50	69.70	8.67
38	2 27/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.05	6.62	1.02	74.70	69.30	8.64
39	2 29/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.05	6.62	1.02	74.70	69.30	8.64
40	2 31/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.05	6.62	1.01	74.00	69.00	8.60
41	3 1/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.05	6.62	1.01	74.00	69.00	8.60
42	3 3/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.61	43.98	53.05	6.62	1.00	73.20	68.60	8.55
43	3 5/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.61	43.98	53.05	6.62	.99	72.50	68.40	8.51
44	3 7/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.59	43.20	52.70	6.57	.99	72.50	68.40	8.51
45	3 9/32	.22	16.10	4.01	32.25	.35	25.61	40.60	5.05	.59	42.50	52.30	6.52	.98	71.80	68.00	8.47
46	3 11/32	.22	16.10	4.01	32.25	.34	24.90	40.10	4.99	.58	42.50	52.30	6.52	.97	71.00	67.60	8.42
47	3 13/32	.22	16.10	4.01	32.25	.34	24.90	40.10	4.99	.58	42.50	52.30	6.52	.95	69.50	66.80	8.33
48	3 15/32	.22	16.10	4.01	32.25	.33	24.15	39.45	4.91	.57	41.70	51.80	6.45	.94	68.90	66.60	8.30
49	3 17/32	.20	14.64	3.82	30.70	.33	24.15	39.45	4.91	.54	39.50	50.30	6.26	.94	68.90	66.60	8.30
50	3 19/32	.20	14.64	3.82	30.70	.32	23.41	38.80	4.83	.51	37.30	48.90	6.10	.92	67.50	66.00	8.21
51	3 21/32	.19	13.91	3.72	29.90	.29	21.22	36.90	4.60	.51	37.30	48.90	6.10	.87	63.70	64.10	7.98
52	3 23/32	.19	13.91	3.72	29.90	.29	21.22	36.90	4.60	.50	36.60	48.50	6.04	.85	62.20	63.30	7.81
53	3 25/32	.18	13.19	3.60	28.95	.28	20.50	36.40	4.52	.48	35.15	47.55	5.93	.81	59.40	61.80	7.70
54	3 27/32	.18	13.19	3.60	28.95	.26	19.05	34.81	4.34	.46	33.70	46.51	5.80	.76	55.60	59.80	7.45
55	3 29/32	.17	12.45	3.52	28.30	.25	18.30	34.80	4.32	.44	32.20	45.60	5.67	.73	53.50	58.70	7.31
56	3 31/32	.16	10.99	3.31	26.60	.24	17.56	33.60	4.19	.42	30.75	44.40	5.54	.68	49.80	56.60	7.05

RUN No 2. 10" PIPE

No	Distance	Speed No 1. Inches of H_2O	Speed No 1. Feet of air	Speed No 1. Mean velocity	Speed No 1. $\sqrt{H}$	Speed No 2. Inches of H_2O	Speed No 2. Feet of air	Speed No 2. $\sqrt{H}$	Speed No 2. Mean velocity	Speed No 3. Inches of H_2O	Speed No 3. Feet of air	Speed No 3. $\sqrt{H}$	Speed No 3. Mean velocity	Speed No 4. Inches of H_2O	Speed No 4. Feet of air	Speed No 4. $\sqrt{H}$	Speed No 4. Mean velocity
1	1/32	.15	11.32	26.00	3.24	.24	16.85	4.11	33.00	.42	29.50	5.43	43.60	.70	51.0	7.14	57.30
2	3/32	.17	11.93	27.70	3.45	.23	19.65	4.43	35.60	.45	31.60	5.62	45.20	.80	56.20	7.49	60.30
3	5/32	.21	15.75	30.80	3.84	.31	21.76	4.66	37.45	.53	37.20	6.07	48.90	.92	64.60	8.03	64.50
4	7/32	.22	15.45	31.58	3.93	.33	23.18	4.81	38.60	.56	39.75	6.38	51.25	1.01	71.00	8.42	67.60
5	9/32	.24	16.15	32.25	4.01	.36	25.30	5.03	40.40	.61	42.80	6.54	52.45	1.07	75.20	8.67	69.60
6	11/32	.24	16.75	33.00	4.11	.37	27.40	5.23	42.00	.64	44.95	6.70	53.75	1.09	76.60	8.75	70.25
7	13/32	.25	17.35	33.60	4.18	.40	28.10	5.30	42.55	.66	46.35	6.81	54.70	1.15	80.10	8.98	72.05
8	15/32	.26	18.25	34.30	4.27	.41	28.80	5.36	43.10	.69	48.49	6.96	55.90	1.18	82.90	9.10	73.10
9	17/32	.27	18.95	34.80	4.34	.42	29.50	5.43	43.60	.72	50.55	7.11	57.10	1.21	85.00	9.21	73.90
10	19/32	.27	18.95	34.80	4.34	.44	30.90	5.56	44.75	.75	52.60	7.25	58.20	1.25	87.90	9.37	75.20
11	21/32	.28	19.65	35.40	4.41	.45	31.60	5.62	45.15	.76	53.40	7.307	58.70	1.29	90.60	9.52	76.50
12	23/32	.31	21.75	37.40	4.66	.46	32.30	5.68	45.70	.76	53.40	7.307	58.70	1.31	92.70	9.63	77.25
13	25/32	.32	22.47	38.00	4.74	.48	33.70	5.80	46.55	.79	55.50	7.45	59.80	1.34	94.20	9.70	77.80
14	27/32	.32	22.15	38.60	4.81	.49	34.90	5.86	47.10	.83	58.30	7.63	61.30	1.38	97.00	9.84	78.95
15	29/32	.34	23.54	37.20	4.88	.50	35.15	5.93	47.60	.85	59.60	7.72	62.00	1.42	99.70	9.93	80.05
16	31/32	.34	23.54	37.20	4.88	.51	35.81	5.99	48.10	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.20
17	33/32	.34	23.54	37.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.45
18	35/32	.34	23.54	37.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.45
19	37/32	.34	23.54	37.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.45
20	39/32	.34	23.54	37.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.20
21	41/32	.33	23.15	37.60	4.81	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.20
22	43/32	.33	23.15	37.60	4.81	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.20
23	45/32	.33	23.15	37.60	4.81	.51	35.81	5.99	48.10	.85	59.60	7.72	62.00	1.49	104.80	10.22	82.20
24	47/32	.33	23.15	37.60	4.81	.51	35.81	5.99	48.10	.85	59.60	7.72	62.00	1.48	104.00	10.19	81.80
25	49/32	.33	23.15	37.60	4.81	.51	35.81	5.99	48.10	.85	59.60	7.72	62.00	1.47	103.30	10.16	81.60
26	51/32	.33	23.15	37.60	4.81	.50	35.15	5.93	47.60	.85	59.60	7.72	62.00	1.47	103.30	10.16	81.60
27	53/32	.32	22.47	38.00	4.74	.50	35.15	5.93	47.60	.84	59.00	7.68	61.70	1.47	103.30	10.16	81.60
28	55/32	.32	22.47	38.00	4.74	.50	35.15	5.93	47.60	.84	59.00	7.68	61.70	1.46	102.50	10.12	81.40
29	57/32	.32	22.47	38.00	4.74	.50	35.15	5.93	47.60	.84	59.00	7.68	61.70	1.46	102.50	10.12	81.40
30	59/32	.32	22.47	38.00	4.74	.50	35.15	5.93	47.60	.83	58.30	7.63	61.30	1.46	102.50	10.12	81.40
31	61/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.83	58.30	7.63	61.30	1.44	101.20	10.05	80.70
32	63/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.82	57.60	7.58	60.90	1.44	101.20	10.05	80.70
33	65/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.81	56.85	7.54	60.50	1.43	100.50	10.01	80.40
34	67/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.81	56.85	7.54	60.50	1.42	99.70	9.97	80.00
35	69/32	.33	23.05	36.80	4.58	.48	33.70	5.80	46.65	.81	56.85	7.54	60.50	1.40	98.40	9.91	79.50
36	71/32	.33	23.05	36.80	4.58	.48	33.70	5.80	46.65	.80	56.20	7.49	60.10	1.41	99.10	9.95	79.80
37	73/32	.33	23.05	36.80	4.58	.47	33.00	5.74	46.10	.79	55.50	7.45	59.80	1.39	97.60	9.87	79.25
38	75/32	.32	22.47	36.20	4.54	.46	32.30	5.68	45.70	.78	54.80	7.40	59.40	1.36	95.50	9.77	78.50
39	77/32	.29	21.35	36.20	4.51	.46	32.30	5.68	45.70	.76	53.40	7.307	58.70	1.33	93.50	9.66	77.50
40	79/32	.29	21.35	36.20	4.51	.45	31.60	5.62	45.15	.75	52.60	7.25	58.20	1.30	91.40	9.56	76.75
41	81/32	.28	19.65	35.50	4.43	.45	31.60	5.62	45.15	.75	52.60	7.25	58.20	1.27	89.45	9.44	75.60
42	83/32	.29	19.65	35.50	4.43	.44	30.90	5.56	44.75	.72	50.55	7.11	57.10	1.26	88.50	9.40	75.50
43	85/32	.27	19.35	34.80	4.34	.43	30.20	5.49	44.10	.71	49.95	7.06	56.70	1.24	87.10	9.33	75.90
44	87/32	.26	18.65	34.30	4.27	.42	29.50	5.43	43.60	.70	49.15	7.02	56.40	1.20	84.40	9.18	75.70
45	89/32	.26	18.65	34.30	4.27	.41	28.80	5.36	43.10	.68	47.75	6.91	55.50	1.19	83.55	9.14	73.30
46	91/32	.25	17.95	33.60	4.17	.40	28.10	5.30	42.65	.66	46.35	6.81	54.70	1.15	80.80	8.98	72.05
47	93/32	.24	16.15	33.00	4.11	.40	28.10	5.30	42.65	.65	45.60	6.75	54.20	1.13	79.40	8.91	71.50
48	95/32	.24	16.75	33.00	4.11	.39	27.40	5.23	41.80	.62	43.50	6.57	52.80	1.07	75.20	8.67	69.60
49	97/32	.23	16.15	32.25	4.01	.36	25.30	5.03	40.40	.59	41.40	6.43	51.60	1.05	73.80	8.59	68.90
50	99/32	.22	15.45	31.58	3.93	.34	23.84	4.88	39.20	.49	34.40	5.86	47.10	1.00	70.25	8.38	67.30
51	101/32	.21	14.75	30.80	3.84	.32	22.48	4.74	38.05					.93	65.40	8.08	64.80
52	103/32	.19	13.33	27.30	3.65	.29	20.38	4.51	36.20					.83	58.40	7.64	61.35

SPEED SPEED No. 4.

No.	Distance	Inches of H_2O.	Feet of air.	...es ...O.	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1/32	.15	10.52	1	49.90	7.06	56.70
2	5/32	.17	11.93	0	56.20	7.49	60.10
3	9/32	.21	14.75	2	64.60	8.03	64.50
4	13/32	.22	15.45	1	71.00	8.42	67.60
5	17/32	.23	16.15	1	75.20	8.67	69.60
6	21/32	.24	16.85	1	76.60	8.75	70.25
7	25/32	.25	17.55	5	80.80	8.98	72.05
	29/						

Run No 1 — 11" Pipe

No	Distance	Speed No 1 Inches of H_2O	Speed No 1 Feet of air	Speed No 1 Mean velocity	Speed No 1 $\sqrt{H}$	Speed No 2 Inches of H_2O	Speed No 2 Feet of air	Speed No 2 Mean velocity	Speed No 2 $\sqrt{H}$	Speed No 3 Inches of H_2O	Speed No 3 Feet of air	Speed No 3 Mean velocity	Speed No 3 $\sqrt{H}$	Speed No 4 Inches of H_2O	Speed No 4 Feet of air	Speed No 4 Mean velocity	Speed No 4 $\sqrt{H}$
1	1/32	.12	8.79	2.96	2.34	.19	13.91	27.90	3.72	.33	24.15	37.90	4.91	.58	42.50	52.40	6.52
2	2/32	.14	10.25	3.20	2.57	.21	15.38	31.90	3.91	.34	24.90	40.01	4.99	.57	43.20	52.30	6.57
3	3/32	.16	11.30	3.42	2.75	.24	17.05	34.81	4.34	.43	31.50	45.00	5.61	.77	56.40	60.40	7.51
4	4/32	.18	13.19	3.60	2.85	.28	20.50	36.30	4.52	.49	35.15	47.55	5.93	.87	63.70	64.10	7.98
5	5/32	.20	14.64	3.78	30.70	.31	22.70	38.20	4.76	.53	38.80	49.98	6.22	.78	67.50	66.00	8.21
6	6/32	.21	15.39	3.92	31.50	.33	24.15	39.45	4.91	.57	41.70	51.80	6.45	.98	71.80	68.00	8.47
7	7/32	.23	16.85	4.10	32.95	.34	24.90	40.10	4.99	.59	43.20	52.70	6.57	1.01	74.00	69.00	8.60
8	8/32	.24	16.85	4.10	32.95	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.06	77.60	70.60	8.80
9	9/32	.24	17.59	4.19	33.65	.38	27.90	42.40	5.27	.64	46.90	54.80	6.84	1.11	81.40	72.50	9.02
10	10/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.66	48.40	55.70	6.95	1.13	82.70	73.00	9.09
11	11/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.68	49.80	56.55	7.05	1.16	85.00	74.00	9.22
12	12/32	.27	19.77	4.44	35.65	.41	30.00	43.90	5.47	.70	51.30	57.50	7.16	1.18	86.50	74.70	9.30
13	13/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.70	51.30	57.50	7.16	1.19	87.10	75.00	9.33
14	14/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
15	15/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
16	16/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
17	17/32	.27	19.77	4.44	35.65	.43	31.50	45.10	5.61	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
18	18/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.71	52.00	57.90	7.21	1.20	88.00	75.40	9.38
19	19/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.71	52.00	57.90	7.21	1.21	88.66	75.60	9.41
20	20/32	.27	19.77	4.44	35.65	.42	30.75	44.50	5.54	.70	51.30	57.50	7.16	1.20	88.00	75.40	9.38
21	21/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.70	51.30	57.50	7.16	1.18	86.50	74.70	9.30
22	22/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.69	50.50	56.90	7.07	1.17	85.70	74.30	9.25
23	23/32	.26	19.04	4.35	34.95	.41	30.00	43.90	5.47	.68	49.80	56.55	7.05	1.15	84.30	73.70	9.18
24	24/32	.24	19.04	4.35	34.95	.40	29.30	43.50	5.41	.68	49.80	56.55	7.05	1.14	83.50	73.30	9.13
25	25/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.67	49.05	56.20	7.00	1.14	83.50	73.30	9.13
26	26/32	.25	18.30	4.27	34.30	.40	29.30	43.50	5.41	.67	49.05	56.20	7.00	1.14	83.50	73.30	9.13
27	27/32	.25	18.30	4.27	34.30	.39	28.55	42.80	5.34	.67	49.05	56.20	7.00	1.13	82.70	73.00	9.09
28	28/32	.25	18.30	4.27	34.30	.39	28.55	42.80	5.34	.66	48.40	55.70	6.95	1.11	81.40	72.50	9.06
29	29/32	.25	18.30	4.27	34.30	.39	28.55	42.80	5.34	.66	48.40	55.70	6.95	1.10	80.60	72.00	8.97
30	30/32	.25	18.30	4.27	34.30	.38	27.80	42.40	5.27	.65	47.60	55.30	6.89	1.10	80.60	72.00	8.97
31	31/32	.24	17.59	4.19	33.65	.38	27.80	42.40	5.27	.64	46.90	54.80	6.84	1.09	79.80	71.70	8.93
32	1	.24	17.59	4.19	33.65	.38	27.10	42.40	5.27	.63	46.10	54.30	6.78	1.09	79.80	71.70	8.93
33	1 1/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.07	78.40	71.10	8.85
34	1 2/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.07	78.40	71.10	8.85
35	1 3/32	.24	17.59	4.19	33.65	.37	27.10	41.70	5.20	.62	45.40	54.00	6.73	1.05	77.00	70.50	8.77
36	1 4/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.62	45.40	54.00	6.73	1.03	75.50	69.80	8.69
37	1 5/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.61	44.70	53.55	6.68	1.03	75.50	69.70	8.67
38	1 6/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	1.02	74.70	69.30	8.64
39	1 7/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	1.02	74.70	69.30	8.64
40	1 8/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	1.01	74.00	69.00	8.60
41	1 9/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	1.01	74.00	69.00	8.60
42	1 10/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	1.00	73.20	68.60	8.55
43	1 11/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.60	43.98	53.55	6.68	.99	72.50	68.20	8.51
44	1 12/32	.23	16.85	4.10	32.95	.36	26.35	41.20	5.13	.59	43.20	52.70	6.57	.99	72.50	68.20	8.51
45	1 13/32	.22	16.10	4.01	32.25	.35	25.61	40.60	5.05	.59	42.50	52.30	6.52	.98	71.80	68.00	8.47
46	1 14/32	.22	16.10	4.01	32.25	.34	24.90	40.10	4.99	.58	42.50	52.30	6.52	.97	71.00	67.60	8.42
47	1 15/32	.22	16.10	4.01	32.25	.34	24.90	40.10	4.99	.57	41.70	51.80	6.45	.95	69.50	66.80	8.33
48	1 16/32	.22	16.10	4.01	32.25	.33	24.15	39.45	4.91	.57	41.70	51.80	6.45	.94	68.90	66.60	8.30
49	1 17/32	.20	14.64	3.82	30.70	.33	24.15	39.45	4.91	.54	39.50	50.50	6.28	.94	68.90	66.60	8.30
50	1 18/32	.20	14.64	3.82	30.70	.32	23.41	38.80	4.83	.51	37.30	48.90	6.10	.92	67.50	66.00	8.21
51	1 19/32	.19	13.91	3.72	29.90	.29	21.22	36.70	4.56	.51	37.80	48.90	6.10	.87	63.70	64.10	7.98
52	1 20/32	.19	13.91	3.72	29.90	.29	21.22	36.90	4.61	.50	36.63	48.50	6.04	.85	62.20	63.30	7.88
53	1 21/32	.18	13.19	3.60	28.95	.28	20.50	36.00	4.52	.48	35.15	47.55	5.93	.81	59.40	61.80	7.70
54	1 22/32	.18	13.19	3.60	28.95	.26	19.05	34.81	4.34	.46	33.70	46.51	5.80	.76	55.60	59.80	7.45
55	1 23/32	.17	12.46	3.52	28.30	.25	18.30	34.80	4.27	.39	32.20	45.60	5.67	.73	53.50	58.70	7.31
56	1 24/32	.16	10.99	3.31	26.60	.24	17.56	33.60	4.18	.42	30.75	44.20	5.54	.68	49.80	56.60	7.05

Run No 2. — 10" Pipe

No	Distance	Speed No 1 Inches of H_2O	Speed No 1 Feet of air	Speed No 1 Mean velocity	Speed No 1 $\sqrt{H}$	Speed No 2 Inches of H_2O	Speed No 2 Feet of air	Speed No 2 $\sqrt{H}$	Speed No 2 Mean velocity	Speed No 3 Inches of H_2O	Speed No 3 Feet of air	Speed No 3 $\sqrt{H}$	Speed No 3 Mean velocity	Speed No 4 Inches of H_2O	Speed No 4 Feet of air	Speed No 4 $\sqrt{H}$	Speed No 4 Mean velocity
1	1/32	.15	10.32	26.00	3.29	.24	16.85	4.11	33.00	.42	29.50	5.49	43.60	.71	49.90	7.06	56.70
2	2/32	.17	11.93	27.70	3.45	.28	19.65	4.43	35.60	.45	31.60	5.62	45.80	.80	54.20	7.29	58.50
3	3/32	.21	14.75	30.80	3.89	.31	21.76	4.66	37.45	.53	37.20	6.09	48.90	.92	64.60	8.03	64.50
4	4/32	.22	15.45	31.53	3.99	.33	23.18	4.81	38.60	.58	40.75	6.38	51.25	1.01	71.00	8.42	67.60
5	5/32	.23	16.15	32.85	4.01	.36	25.30	5.03	40.40	.61	42.80	6.54	52.95	1.07	75.20	8.67	69.70
6	6/32	.24	16.85	33.60	4.11	.37	27.40	5.23	42.00	.64	44.95	6.70	53.95	1.09	76.60	8.75	71.25
7	7/32	.25	17.55	33.60	4.18	.40	28.10	5.30	42.55	.66	46.35	6.81	54.70	1.15	80.30	8.98	72.15
8	8/32	.26	18.25	34.30	4.27	.41	28.80	5.36	43.10	.69	48.47	6.96	55.90	1.18	82.90	9.10	73.15
9	9/32	.27	18.95	34.30	4.34	.42	29.50	5.43	43.60	.72	50.55	7.11	57.10	1.21	85.00	9.21	73.75
10	10/32	.29	20.35	36.20	4.51	.44	30.90	5.56	44.75	.75	52.60	7.25	58.20	1.25	87.90	9.37	75.25
11	11/32	.30	21.05	36.80	4.58	.45	31.60	5.62	45.15	.76	53.40	7.307	58.70	1.29	90.60	9.52	76.50
12	12/32	.31	21.75	37.40	4.66	.46	32.30	5.68	45.70	.76	53.40	7.307	58.70	1.31	92.10	9.63	77.25
13	13/32	.32	22.47	38.00	4.74	.48	33.70	5.80	46.55	.79	55.50	7.45	59.80	1.34	94.20	9.70	77.75
14	14/32	.33	23.15	38.60	4.81	.49	34.40	5.86	47.10	.83	58.80	7.63	61.30	1.38	97.00	9.84	78.45
15	15/32	.34	23.84	39.20	4.88	.50	35.15	5.93	47.60	.85	59.60	7.72	62.00	1.42	99.70	9.98	79.15
16	16/32	.34	23.84	39.20	4.88	.51	35.81	5.98	48.10	.86	60.40	7.77	62.45	1.49	104.80	10.22	81.95
17	17/32	.34	23.84	39.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.25
18	18/32	.34	23.84	39.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.25
19	19/32	.34	23.84	39.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.50	105.40	10.26	82.25
20	20/32	.34	23.84	39.20	4.88	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.05
21	21/32	.33	23.15	38.60	4.81	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.05
22	22/32	.38	23.15	38.60	4.81	.52	36.52	6.04	48.50	.86	60.40	7.77	62.45	1.49	104.80	10.22	82.05
23	23/32	.33	23.15	38.60	4.81	.51	35.81	5.98	48.10	.85	59.60	7.72	62.00	1.49	104.80	10.22	82.05
24	24/32	.33	23.15	38.60	4.81	.51	35.81	5.98	48.10	.85	59.60	7.72	62.00	1.49	104.00	10.19	81.80
25	25/32	.33	23.15	38.60	4.81	.51	35.81	5.98	48.10	.85	59.60	7.72	62.00	1.47	103.30	10.16	81.50
26	26/32	.33	23.15	38.60	4.81	.50	35.15	5.98	48.10	.85	59.60	7.72	62.00	1.47	103.30	10.16	81.50
27	27/32	.32	22.47	38.00	4.74	.50	35.15	5.98	48.10	.84	59.00	7.68	61.70	1.47	103.30	10.16	81.50
28	28/32	.32	22.47	38.00	4.74	.50	35.15	5.98	48.10	.84	59.00	7.68	61.70	1.46	102.50	10.12	81.25
29	29/32	.32	22.47	38.00	4.74	.50	35.15	5.98	48.10	.84	59.00	7.68	61.70	1.46	102.50	10.12	81.25
30	30/32	.32	22.47	38.00	4.74	.50	35.15	5.98	48.10	.83	58.30	7.63	61.30	1.46	102.50	10.12	81.25
31	31/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.83	58.30	7.63	61.30	1.44	101.20	10.05	80.75
32	1	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.82	57.60	7.58	60.90	1.44	101.20	10.05	80.75
33	1 1/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.81	56.85	7.54	60.50	1.43	100.50	10.01	80.50
34	1 2/32	.31	21.75	37.40	4.66	.49	34.40	5.86	47.10	.81	56.85	7.54	60.50	1.42	99.70	9.97	80.00
35	1 3/32	.30	21.05	36.80	4.58	.48	33.70	5.80	46.55	.81	56.85	7.54	60.50	1.40	98.40	9.91	79.50
36	1 4/32	.30	21.05	36.80	4.58	.48	33.70	5.80	46.55	.80	56.20	7.49	60.10	1.41	99.10	9.95	79.90
37	1 5/32	.30	21.05	36.80	4.58	.47	33.00	5.74	46.10	.79	55.50	7.45	59.80	1.39	97.60	9.87	79.25
38	1 6/32	.30	21.05	36.10	4.58	.46	32.30	5.68	45.70	.78	54.80	7.40	59.40	1.36	95.50	9.77	78.50
39	1 7/32	.29	20.35	36.20	4.51	.46	32.30	5.68	45.70	.76	53.40	7.307	58.70	1.33	93.50	9.66	77.50
40	1 8/32	.29	20.35	36.20	4.51	.45	31.60	5.62	45.15	.75	52.60	7.25	58.20	1.30	91.40	9.56	76.75
41	1 9/32	.28	19.65	35.52	4.43	.45	31.60	5.62	45.15	.75	52.60	7.25	58.20	1.27	89.25	9.44	76.00
42	1 10/32	.28	19.65	35.52	4.43	.44	30.90	5.56	44.75	.72	50.55	7.11	57.10	1.26	88.50	9.40	75.50
43	1 11/32	.27	18.95	34.80	4.34	.43	30.20	5.49	44.10	.71	49.95	7.02	56.70	1.24	87.10	9.33	75.00
44	1 12/32	.26	18.25	34.30	4.27	.42	29.50	5.43	43.60	.70	49.15	7.02	56.10	1.20	84.90	9.19	73.70
45	1 13/32	.26	18.25	34.30	4.27	.41	28.80	5.36	43.10	.68	47.75	6.91	55.50	1.19	83.55	9.14	73.50
46	1 14/32	.25	17.55	33.60	4.18	.40	28.10	5.30	42.65	.66	46.35	6.81	54.70	1.15	80.80	8.98	72.15
47	1 15/32	.24	16.85	33.00	4.11	.40	28.10	5.30	42.65	.65	45.60	6.75	54.20	1.16	79.90	8.91	71.50
48	1 16/32	.24	16.85	33.00	4.11	.39	27.40	5.23	41.60	.62	43.50	6.59	52.90	1.07	75.20	8.67	69.70
49	1 17/32	.23	16.15	32.85	4.01	.36	25.30	5.03	40.40	.59	41.40	6.43	51.60	1.05	73.80	8.59	69.40
50	1 18/32	.22	15.45	31.58	3.93	.34	23.81	4.88	39.20	.49	34.40	5.86	47.10	1.00	70.25	8.38	67.30
51	1 19/32	.21	14.75	30.80	3.84	.32	22.98	4.74	38.05					.93	65.40	8.08	64.80
52	1 20/32	.19	13.85	29.30	3.65	.29	20.38	4.51	36.20					.83	58.40	7.64	61.35
53																	
54																	
55																	
56																	

Run No. 3. 9" Pipe.

No	Distance	Speed No 1 Inches of H_2O	Speed No 1 Feet of air.	Speed No 1 $\sqrt{H}$	Speed No 1 Mean velocity.	Speed No 2. Inches of H_2O	Speed No 2. Feet of air.	Speed No 2. $\sqrt{H}$	Speed No 2. Mean velocity.	Speed No 3. Inches of H_2O	Speed No 3. Feet of air.	Speed No 3. $\sqrt{H}$	Speed No 3. Mean velocity.	Speed No 4. Inches of H_2O	Speed No 4. Feet of air.	Speed No 4. $\sqrt{H}$	Speed No 4. Mean velocity.
1	1/32	.17	11.34	3.45	29.70	.57	18.95	4.34	34.80	.45	31.60	5.62	45.20	.78	54.80	7.40	57.40
2	2/32	.18	12.69	3.55	28.55	.28	19.65	4.43	35.50	.50	35.15	5.78	48.10	.81	56.85	7.54	60.50
3	3/32	.20	14.05	3.74	30.05	.34	23.64	4.85	39.20	.58	40.75	6.38	51.25	.97	68.10	8.25	66.30
4	4/32	.23	16.15	4.018	32.25	.37	25.79	5.09	40.85	.64	44.95	6.70	53.75	1.06	74.45	8.63	69.30
5	5/32	.25	17.55	4.18	33.60	.39	27.40	5.23	42.20	.66	46.05	6.81	54.70	1.13	79.90	8.91	71.50
6	6/32	.26	18.25	4.27	34.30	.41	28.80	5.36	43.10	.69	48.28	6.96	55.90	1.16	81.50	9.02	72.40
7	7/32	.27	19.25	4.39	34.80	.42	29.50	5.43	43.60	.71	49.95	7.06	56.70	1.21	85.00	9.21	73.90
8	8/32	.28	19.65	4.43	35.52	.44	30.90	5.56	44.75	.74	51.99	7.21	57.90	1.24	87.10	9.33	74.90
9	9/32	.30	21.05	4.58	36.80	.45	31.60	5.62	45.15	.77	54.15	7.36	59.10	1.29	90.60	9.52	76.50
10	10/32	.30	21.05	4.58	36.80	.46	32.30	5.68	45.70	.79	55.50	7.45	59.80	1.31	92.00	9.59	77.00
11	11/32	.31	21.75	4.66	37.40	.47	33.00	5.74	46.10	.80	56.20	7.49	60.10	1.35	94.80	9.73	78.10
12	12/32	.32	22.47	4.74	38.00	.49	34.40	5.86	47.10	.83	58.30	7.63	61.30	1.38	97.00	9.84	78.95
13	13/32	.33	23.15	4.81	38.60	.57	35.81	5.98	48.10	.85	59.60	7.72	62.00	1.45	103.08	10.13	81.30
14	14/32	.34	23.81	4.89	39.20	.53	37.90	6.15	49.45	.89	62.50	7.88	63.40	1.52	106.30	10.33	83.00
15	15/32	.36	25.30	5.03	40.40	.57	40.01	6.32	50.70	.95	66.75	8.17	65.60	1.61	113.00	10.65	85.40
16	16/32	.38	26.75	5.17	41.50	.57	41.40	6.43	51.60	.99	69.50	8.33	66.90	1.69	118.50	10.88	87.40
17	17/32	.39	27.40	5.23	42.20	.61	42.80	6.54	52.95	1.02	71.55	8.45	67.80	1.78	124.50	11.001	87.40
18	18/32	.40	28.10	5.30	42.55	.62	43.50	6.59	52.90	1.05	73.60	8.57	68.90	1.76	123.50	11.11	89.20
19	19/32	.41	28.80	5.36	43.10	.63	44.25	6.65	53.45	1.06	74.45	8.63	69.30	1.79	125.50	11.20	89.90
20	20/32	.41	28.80	5.36	43.10	.64	44.95	6.70	53.75	1.07	75.20	8.67	69.60	1.80	126.20	11.23	90.10
21	21/32	.42	29.50	5.43	43.60	.64	44.95	6.70	53.75	1.07	75.20	8.67	69.60	1.81	127.00	11.26	90.40
22	22/32	.41	28.80	5.36	43.10	.64	44.95	6.70	53.75	1.08	75.90	8.71	70.00	1.82	127.80	11.30	90.70
23	23/32	.41	28.80	5.36	43.10	.63	44.25	6.65	53.45	1.08	75.90	8.71	70.00	1.81	127.00	11.26	90.40
24	24/32	.42	29.50	5.43	43.60	.63	44.25	6.65	53.45	1.07	75.20	8.67	69.60	1.82	127.80	11.30	90.70
25	25/32	.41	28.80	5.36	43.10	.64	44.95	6.70	53.75	1.07	75.20	8.67	69.60	1.82	127.80	11.30	90.70
26	26/32	.41	28.80	5.36	43.10	.63	44.25	6.65	53.45	1.07	75.20	8.67	69.60	1.81	127.00	11.26	90.40
27	27/32	.41	28.80	5.36	43.10	.63	44.25	6.65	53.45	1.07	75.20	8.67	69.60	1.81	127.00	11.26	90.40
28	28/32	.40	28.10	5.30	42.55	.63	44.25	6.65	53.45	1.07	75.20	8.67	69.60	1.81	127.00	11.26	90.40
29	29/32	.40	28.10	5.30	42.55	.63	44.25	6.65	53.45	1.06	74.45	8.63	69.30	1.80	126.20	11.23	90.10
30	30/32	.40	28.10	5.30	42.55	.63	44.25	6.65	53.45	1.06	74.45	8.63	69.30	1.80	126.20	11.23	90.10
31	31/32	.40	28.10	5.30	42.55	.63	44.25	6.65	53.45	1.06	74.45	8.63	69.30	1.79	125.50	11.20	89.90
32	32/32	.40	28.10	5.30	42.55	.62	43.50	6.59	52.90	1.05	73.80	8.59	68.90	1.79	125.50	11.20	89.80
33	33/32	.39	27.40	5.23	41.80	.62	43.50	6.59	52.90	1.04	73.00	8.54	68.50	1.77	124.10	11.14	89.40
34	34/32	.39	27.40	5.23	41.80	.61	42.80	6.54	52.45	1.02	71.55	8.45	68.50	1.76	123.50	11.11	89.20
35	35/32	.38	26.75	5.17	41.50	.60	41.15	6.49	52.10	1.00	70.25	8.38	67.30	1.70	119.20	10.91	87.70
36	36/32	.37	26.09	5.09	40.86	.60	41.15	6.49	52.10	.96	67.25	8.20	65.90	1.68	117.90	10.86	87.00
37	37/32	.36	25.30	5.03	40.40	.58	40.75	6.38	52.25	.98	68.40	8.08	64.80	1.60	112.25	10.59	85.00
38	38/32	.35	24.58	4.95	39.80	.66	39.35	6.27	50.45	.90	63.20	7.94	63.70	1.56	109.40	10.45	83.90
39	39/32	.34	23.86	4.88	39.20	.55	38.62	6.22	49.85	.89	62.50	7.88	63.40	1.51	105.90	10.28	82.50
40	40/32	.33	23.15	4.81	38.60	.52	36.52	6.04	48.50	.87	61.10	7.81	62.60	1.49	104.00	10.19	81.80
41	41/32	.32	22.47	4.74	38.00	.51	35.81	5.98	48.10	.85	59.60	7.72	62.00	1.45	102.08	10.13	81.30
42	42/32	.31	21.75	4.66	37.40	.49	34.40	5.86	47.10	.90	56.20	7.49	60.10	1.37	96.20	9.80	78.60
43	43/32	.30	21.05	4.58	36.80	.62	33.70	5.80	46.65	.78	54.80	7.40	59.40	1.35	94.80	9.73	78.10
44	44/32	.29	20.36	4.51	36.20	.45	31.60	5.62	45.15	.75	52.60	7.25	58.20	1.30	93.50	9.66	77.50
45	45/32	.28	19.65	4.43	35.52	.44	30.90	5.56	44.75	.73	51.25	7.16	57.50	1.26	88.50	9.40	75.50
46	46/32	.27	18.95	4.34	34.80	.42	29.50	5.43	43.60	.71	49.95	7.06	56.70	1.20	84.40	9.18	73.70
47	47/32	.26	17.55	4.18	33.60	.41	[illegible]	5.30	42.55	.67	47.10	6.86	55.10	1.15	80.80	8.98	72.05
48	48/32	.24	16.85	4.11	33.00	.36	25.31	5.03	40.40	.61	42.80	6.54	52.45	1.09	76.60	8.75	70.25

Run No. 4. 8" Pipe.

No	Distance	Speed No 1 Inches of H_2O	Speed No 1 Feet of air.	Speed No 1 $\sqrt{H}$	Speed No 1 Mean velocity.	Speed No 2. Inches of H_2O	Speed No 2. Feet of air.	Speed No 2. $\sqrt{H}$	Speed No 2. Mean velocity.	Speed No 3. Inches of H_2O	Speed No 3. Feet of air.	Speed No 3. $\sqrt{H}$	Speed No 3. Mean velocity.	Speed No 4. Inches of H_2O	Speed No 4. Feet of air.	Speed No 4. $\sqrt{H}$	Speed No 4. Mean velocity.
1	1/32	.24	17.69	4.15	33.30	.36	25.91	5.09	40.80	.62	44.60	6.67	53.70	1.07	77.00	8.77	70.45
2	2/32	.27	19.41	4.40	36.30	.44	31.70	5.63	45.30	.73	52.56	7.25	58.25	1.21	89.40	9.45	76.90
3	3/32	.30	21.60	4.64	37.20	.47	33.85	5.82	46.70	.80	57.60	7.58	60.09	1.39	100.01	10.001	80.31
4	4/32	.32	23.05	4.79	38.45	.49	35.80	5.94	47.70	.85	61.20	7.82	62.80	1.48	106.50	10.31	82.80
5	5/32	.34	24.50	4.94	39.60	.51	36.70	6.05	48.55	.87	62.60	7.91	63.55	1.52	109.40	10.45	83.95
6	6/32	.35	25.20	5.02	40.30	.54	38.90	6.23	50.00	.89	64.10	8.006	64.40	1.54	110.90	10.52	84.50
7	7/32	.34	25.91	5.09	40.80	.56	40.30	6.34	50.90	.91	65.50	8.09	64.80	1.61	115.90	10.76	86.40
8	8/32	.37	26.61	5.15	41.35	.58	41.75	6.46	51.80	.95	68.30	8.27	66.45	1.63	117.20	10.82	86.98
9	9/32	.37	26.61	5.15	41.35	.60	43.20	6.57	52.80	.99	71.25	8.43	67.60	1.69	121.70	11.03	88.60
10	10/32	.38	27.35	5.23	42.00	.60	44.60	6.67	53.70	1.01	72.65	8.52	68.40	1.75	126.00	11.22	90.00
11	11/32	.39	28.10	5.30	42.55	.62	45.10	6.67	54.00	1.05	75.60	8.69	69.70	1.80	129.50	11.37	91.25
12	12/32	.40	28.80	5.36	43.05	.63	46.10	6.73	54.45	1.09	78.50	8.86	71.15	1.82	131.00	11.44	91.90
13	13/32	.42	30.21	5.49	44.10	.64	47.50	6.78	55.30	1.12	80.60	8.97	72.00	1.90	136.80	11.69	93.80
14	14/32	.43	30.90	5.55	44.55	.66	49.00	6.89	56.20	1.14	82.10	9.06	72.80	1.95	140.30	11.84	95.00
15	15/32	.45	32.40	5.69	45.60	.68	49.70	7.00	56.50	1.16	83.50	9.13	73.35	1.96	141.00	11.87	95.40
16	16/32	.45	32.40	5.69	45.60	.69	50.40	7.04	56.90	1.16	83.50	9.13	73.36	1.98	142.50	11.93	95.80
17	17/32	.45	32.40	5.69	45.60	.70	51.10	7.09	57.40	1.17	84.30	9.18	73.65	1.99	143.20	11.96	96.00
18	18/32	.45	32.40	5.69	45.60	.71	51.10	7.14	57.40	1.17	84.30	9.18	73.65	2.00	143.90	11.99	96.25
19	19/32	.46	33.10	5.75	46.15	.71	51.10	7.14	57.40	1.17	84.30	9.18	73.65	2.00	143.90	11.99	96.25
20	20/32	.46	33.10	5.75	46.15	.70	50.40	7.09	56.90	1.17	84.30	9.18	73.66	2.01	144.50	12.02	96.50
21	21/32	.46	33.10	5.75	46.15	.68	49.00	7.00	56.20	1.17	84.30	9.18	73.65	2.01	144.50	12.02	96.50
22	22/32	.46	33.10	5.75	46.15	.69	49.00	7.00	56.20	1.16	83.50	9.13	73.35	2.01	144.50	12.02	96.50
23	23/32	.46	33.10	5.75	46.15	.68	49.00	7.00	56.20	1.16	83.50	9.13	73.35	2.01	144.50	12.02	96.50
24	24/32	.46	33.10	5.75	46.15	.68	49.00	7.00	56.20	1.15	82.75	9.09	72.90	2.01	144.50	12.02	96.50
25	25/32	.45	32.40	5.69	45.60	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	2.01	144.50	12.02	96.50
26	26/32	.44	31.70	5.63	45.30	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
27	27/32	.44	31.70	5.63	45.30	.67	48.25	6.94	55.60	1.14	82.10	9.06	72.70	1.96	141.00	11.87	95.40
28	28/32	.44	31.70	5.63	45.30	.66	47.50	6.89	55.20	1.14	82.10	9.06	72.70	1.95	140.30	11.84	95.00
29	29/32	.43	30.90	5.55	44.55	.66	47.50	6.89	55.20	1.07	78.50	8.86	71.15	1.90	136.80	11.69	93.80
30	30/32	.42	30.21	5.49	44.10	.64	46.10	6.78	54.45	1.05	75.60	8.69	69.70	1.87	134.80	11.60	93.05
31	31/32	.39	28.10	5.30	42.55	.59	42.50	6.51	52.25	1.05	75.60	8.69	69.70	1.75	126.00	11.22	91.00
32	32/32	.37	26.61	5.15	41.35	.55	39.60	6.29	50.50	.98	70.55	8.40	67.50	1.65	118.80	10.89	87.45
33	33/32	.34	24.50	4.94	39.60	.53	38.20	6.18	49.60	.90	64.85	8.05	64.60	1.55	111.70	10.56	84.75
34	34/32	.33	23.75	4.87	39.20	.52	37.42	6.11	49.10	.84	60.50	7.77	62.40	1.45	104.40	10.21	82.00
35	35/32	.32	23.05	4.79	38.45	.50	36.00	6.00	48.20	.82	59.05	7.68	61.70	1.40	100.90	10.03	80.50
36	36/32	.31	22.30	4.72	37.90	.47	33.85	5.82	46.70	.80	57.60	7.58	60.09	1.37	98.60	9.92	79.55
37	37/32	.30	21.60	4.64	37.20	.45	32.40	5.69	45.70	.75	54.00	7.34	58.90	1.34	96.50	9.82	78.80
38	38/32	.29	20.90	4.57	36.80	.44	31.70	5.63	45.30	.72	51.80	7.19	57.70	1.30	93.60	9.67	77.60
39	39/32	.27	19.41	4.40	35.30	.43	30.90	5.55	44.515	.70	50.95	7.09	56.95	1.25	90.00	9.48	76.20
40	40/32	.27	19.41	4.40	35.30	.41	29.50	5.43	43.55	.68	48.98	6.99	56.15	1.18	85.00	9.21	74.00
41	41/32	.26	18.70	4.32	34.70	.39	28.10	5.30	42.55	.67	48.25	6.94	55.70	1.15	82.75	9.09	73.00
42	42/32	.25	17.99	4.24	34.00	.38	27.35	5.23	41.90	.62	44.60	6.67	53.70	1.11	79.98	8.93	71.75
43	43/32	.20	14.40	3.79	30.40	.30	21.60	4.64	37.20	.50	36.05	6.005	48.25	.90	64.85	8.05	64.75

RUN No 5 7" PIPE

No	Distance	SPEED No 1				SPEED No 2				SPEED No 3				SPEED No 4			
		Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity
1	1/32	.19	13.60	3.69	29.61	.30	21.60	4.64	37.20	.51	36.70	6.05	48.55	.90	64.85	8.05	64.75
2	2/32	.23	16.55	4.07	32.75	.38	27.35	5.23	42.00	.64	46.10	6.78	54.45	1.14	82.10	9.06	72.70
3	3/32	.26	18.70	4.32	34.70	.42	30.21	5.49	44.10	.71	51.10	7.14	57.40	1.26	90.75	9.52	76.45
4	4/32	.28	20.15	4.48	36.00	.44	31.70	5.63	45.30	.76	54.70	7.39	59.35	1.32	95.05	9.74	78.20
5	5/32	.29	20.90	4.57	36.80	.45	32.40	5.69	45.60	.78	56.15	7.49	60.10	1.38	99.50	9.97	80.10
6	6/32	.31	22.30	4.72	37.90	.48	34.60	5.88	47.25	.83	59.80	7.73	62.05	1.41	101.40	10.06	80.80
7	7/32	.32	23.05	4.79	38.45	.50	36.00	6.00	48.20	.86	61.90	7.86	63.10	1.48	106.50	10.31	82.80
8	8/32	.33	23.75	4.87	39.20	.51	36.70	6.05	48.55	.90	64.85	8.05	64.60	1.55	111.70	10.56	84.75
9	9/32	.34	24.50	4.94	39.60	.54	38.90	6.23	50.00	.93	66.99	8.18	65.70	1.60	115.10	10.73	86.25
10	10/32	.35	25.20	5.02	40.30	.56	40.30	6.34	50.90	.96	69.10	8.31	66.75	1.65	118.80	10.89	87.45
11	11/32	.36	25.91	5.09	40.80	.58	41.75	6.46	51.80	.99	71.25	8.43	67.60	1.70	122.30	11.05	88.80
12	12/32	.38	27.35	5.23	42.00	.59	42.50	6.51	52.25	1.01	72.65	8.52	68.40	1.75	126.00	11.22	90.00
13	13/32	.39	28.10	5.30	42.55	.61	43.90	6.62	53.20	1.05	75.60	8.69	69.70	1.80	129.50	11.37	91.25
14	14/32	.40	28.80	5.36	43.05	.63	45.40	6.73	54.00	1.08	77.80	8.82	70.80	1.85	133.10	11.54	92.75
15	15/32	.42	30.21	5.49	44.10	.65	44.80	6.84	54.80	1.12	80.60	8.97	72.00	1.90	136.80	11.69	93.80
16	16/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.14	82.10	9.06	72.80	1.92	138.10	11.75	94.50
17	17/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.14	82.10	9.06	72.80	1.97	141.80	11.90	95.50
18	18/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.14	82.10	9.06	72.80	2.00	143.90	11.99	96.25
19	19/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.15	82.75	9.09	72.90	1.99	143.20	11.96	96.00
20	20/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
21	21/32	.42	30.21	5.49	44.10	.68	49.00	7.00	56.20	1.15	82.75	9.09	72.90	1.97	141.80	11.90	95.50
22	22/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.16	83.50	9.13	73.35	1.98	142.50	11.93	95.80
23	23/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
24	24/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
25	25/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.14	82.10	9.06	72.80	1.96	141.00	11.87	95.40
26	26/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.13	81.45	9.02	72.45	1.94	139.70	11.81	94.90
27	27/32	.40	28.80	5.36	43.05	.64	46.10	6.78	54.45	1.10	79.25	8.90	71.45	1.90	136.80	11.69	93.80
28	28/32	.39	28.10	5.30	42.55	.63	45.40	6.73	54.00	1.07	77.00	8.77	70.45	1.83	131.80	11.47	92.10
29	29/32	.38	27.35	5.23	42.00	.60	43.20	6.57	52.80	1.03	74.20	8.61	69.10	1.75	126.00	11.22	90.00
30	30/32	.37	26.61	5.15	41.35	.58	41.75	6.46	51.80	.98	70.55	8.40	67.50	1.68	120.90	10.98	88.20
31	31/32	.35	25.20	5.02	40.30	.54	38.90	6.23	50.00	.96	69.10	8.31	66.75	1.64	118.00	10.86	87.20
32	32/32	.34	24.50	4.94	39.60	.53	38.20	6.18	49.60	.93	66.99	8.18	65.70	1.59	114.50	10.69	86.00
33	33/32	.33	23.75	4.87	39.20	.52	37.42	6.11	49.10	.89	64.10	8.006	64.40	1.55	111.70	10.56	84.75
34	34/32	.32	23.05	4.79	38.45	.50	36.00	6.00	48.20	.86	61.90	7.86	63.10	1.48	106.50	10.31	82.80
35	35/32	.31	22.30	4.72	37.90	.49	34.60	5.88	47.25	.83	59.80	7.73	62.05	1.44	103.70	10.17	81.65
36	36/32	.29	20.90	4.57	36.80	.47	33.85	5.82	46.70	.80	57.60	7.58	60.09	1.36	98.00	9.89	79.45
37	37/32	.28	20.15	4.48	36.00	.44	31.70	5.63	45.30	.78	56.15	7.49	60.10	1.30	93.60	9.67	77.66
38	38/32	.25	17.99	4.24	34.00	.42	30.21	5.49	44.10	.73	52.55	7.25	58.25	1.24	89.40	9.45	75.90
39	39/32	24	17.29	4.15	33.30	.40	28.80	5.36	43.05	.69	49.70	7.04	56.50	1.17	84.30	9.18	73.65

RUN No 6 6" PIPE

No	DISTANCE	SPEED No 1				SPEED No 2				SPEED No 3				SPEED No 4			
		Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity
1	1/32	.15	10.90	3.30	26.50	.24	17.45	4.18	33.60	.42	30.55	5.52	44.40	.73	53.10	7.28	58.50
2	2/32	.20	14.55	3.81	30.55	.29	21.08	4.58	36.80	.52	37.80	6.14	49.35	.92	66.90	8.17	65.60
3	3/32	.21	15.29	3.91	31.40	.32	23.25	4.81	38.60	.57	41.45	6.43	51.60	1.01	73.40	8.54	68.50
4	4/32	.23	16.72	4.09	32.80	.34	24.85	4.98	40.05	.60	43.60	6.60	53.00	1.03	74.80	8.64	69.40
5	5/32	.24	17.45	4.18	33.60	.36	26.20	5.12	41.10	.62	45.20	6.72	53.96	1.05	76.30	8.73	70.10
6	6/32	.25	18.18	4.26	34.20	.37	26.90	5.18	41.65	.65	47.30	6.87	55.20	1.10	80.00	8.94	71.75
7	7/32	.26	18.90	4.34	34.80	.38	27.61	5.25	42.15	.66	48.00	6.92	55.50	1.14	82.90	9.10	73.00
8	8/32	.27	19.61	4.42	35.50	.40	29.10	5.39	43.35	.70	50.90	7.13	57.25	1.19	86.50	9.30	74.60
9	9/32	.28	19.61	4.42	35.50	.42	30.55	5.52	44.40	.72	52.40	7.23	58.00	1.23	89.45	9.46	75.98
10	10/32	.28	20.35	4.50	36.10	.43	31.30	5.59	44.80	.76	55.30	7.43	59.60	1.28	93.00	9.64	77.35
11	11/32	.30	21.81	4.66	37.40	.44	32.00	5.65	45.40	.78	56.75	7.53	60.50	1.33	96.60	9.82	78.80
12	12/32	.32	23.25	4.81	38.60	.45	32.75	5.72	45.90	.83	60.40	7.77	62.40	1.38	100.20	10.01	80.50
13	13/32	.33	24.00	4.89	39.25	.48	34.90	5.90	47.40	.87	63.25	7.95	63.80	1.43	103.90	10.18	81.70
14	14/32	.35	25.45	5.04	40.45	.52	37.80	6.14	49.35	.92	66.90	8.17	65.60	1.58	114.80	10.71	86.10
15	15/32	.38	27.61	5.25	42.15	.55	40.00	6.32	50.70	.98	71.25	8.44	67.75	1.68	122.05	11.05	88.75
16	16/32	.40	29.10	5.39	43.35	.59	42.90	6.54	52.45	1.03	74.80	8.64	69.40	1.77	128.60	11.33	91.00
17	17/32	.41	29.80	5.45	43.75	.61	44.40	6.66	53.50	1.08	78.50	8.86	71.10	1.83	133.00	11.53	92.70
18	18/32	.42	30.55	5.52	44.40	.63	45.80	6.76	54.30	1.09	79.25	8.89	71.40	1.88	136.80	11.69	93.80
19	19/32	.43	31.30	5.59	44.80	.64	46.50	6.81	54.65	1.10	80.00	8.94	71.75	1.89	137.40	11.71	94.10
20	20/32	.43	31.30	5.59	44.80	.63	45.80	6.76	54.30	1.09	79.25	8.89	71.40	1.88	136.80	11.69	93.80
21	21/32	.42	30.55	5.52	44.40	.62	45.20	6.72	53.96	1.08	78.50	8.86	71.10	1.84	133.80	11.56	92.80
22	22/32	.41	29.80	5.45	43.75	.60	43.60	6.60	53.00	1.04	75.55	8.68	69.70	1.78	129.40	11.36	91.25
23	23/32	.38	27.61	5.25	42.15	.57	41.45	6.43	51.60	.98	71.25	8.44	67.75	1.71	124.10	11.14	89.50
24	24/32	.36	26.20	5.12	41.10	.54	39.25	6.26	50.30	.95	69.10	8.31	66.75	1.68	114.80	10.71	86.10
25	25/32	.33	24.00	4.89	39.25	.51	37.15	6.09	48.90	.91	66.25	8.13	65.35	1.45	105.50	10.27	82.50
26	26/32	.31	22.55	4.74	38.00	.48	34.90	5.90	47.40	.83	60.60	7.77	62.40	1.40	101.80	10.08	80.9
27	27/32	.30	21.81	4.66	37.40	.46	33.45	5.77	46.40	.80	58.20	7.62	61.20	1.35	98.10	9.90	79.50
28	28/32	.29	21.81	4.58	36.80	.44	32.00	5.65	45.40	.75	54.50	7.38	59.35	1.28	93.00	9.64	77.35
29	29/32	.28	21.81	4.53	36.10	.43	31.30	5.59	44.80	.73	53.10	7.28	58.50	1.25	90.85	9.52	76.45
30	30/32	.27	19.44	4.42	35.50	.41	29.80	5.45	43.75	.70	50.90	7.13	57.25	1.17	85.00	9.21	74.00
31	31/32	.26	18.90	4.32	34.80	.39	28.35	5.32	42.75	.68	49.50	7.04	56.50	1.14	82.90	9.10	73.00
32	32/32	.25	18.18	4.24	34.20	.37	26.90	5.18	41.65	.65	47.30	6.87	55.20	1.10	80.00	8.94	71.75
33	33/32	.24	17.45	4.18	33.60	.36	26.20	5.12	41.10	.60	45.20	6.72	53.96	1.06	77.00	8.77	70.45
34	34/32	.23	16.72	4.09	32.80	.34	24.85	4.98	40.05	.66	43.60	6.60	53.00	1.02	74.15	8.61	69.15
35	35/32	.21	15.29	3.91	31.46	.32	23.25	4.81	38.60	.57	41.45	6.43	51.60	1.13	67.60	8.22	66.00
36	36/32	.19	13.81	3.71	29.80	.29	21.08	4.58	36.80	.51	37.15	6.09	48.9				

RUN No 5 7" PIPE

No	Distance	SPEED No 1				SPEED No 2				SPEED No 3				SPEED No 4			
		Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity
1	1/32	.19	13.68	3.69	29.61	.30	21.60	4.64	37.20	.51	36.70	6.05	48.55	.90	64.85	8.05	64.75
2	2/32	.23	16.55	4.07	32.75	.38	27.35	5.23	42.00	.64	46.10	6.78	54.45	1.14	82.10	9.06	72.70
3	3/32	.26	18.70	4.32	34.70	.42	30.21	5.49	44.10	.71	51.10	7.14	57.40	1.26	90.75	9.52	76.45
4	1 3/32	.28	20.15	4.48	36.00	.44	31.70	5.63	45.30	.76	54.70	7.39	59.35	1.32	95.05	9.74	78.20
5	1 2/32	.29	20.90	4.57	36.80	.45	32.40	5.69	45.60	.78	56.15	7.49	60.10	1.38	99.50	9.97	80.10
6	1 1/32	.31	22.30	4.72	37.90	.48	34.60	5.88	47.25	.83	59.80	7.73	62.05	1.41	101.40	10.06	80.80
7	2 3/32	.32	23.05	4.79	38.45	.50	36.00	6.00	48.20	.86	61.90	7.86	63.10	1.48	106.50	10.31	82.80
8	2 1/32	.33	23.75	4.89	39.20	.51	36.70	6.05	48.55	.90	64.85	8.05	64.60	1.55	111.70	10.56	84.75
9	1 1/32	.34	24.50	4.94	39.60	.54	38.90	6.23	50.00	.93	66.99	8.18	65.70	1.60	115.10	10.73	86.25
10	1 2/32	.35	25.20	5.02	40.30	.56	40.30	6.34	50.90	.96	69.10	8.31	66.75	1.65	118.80	10.89	87.45
11	1 3/32	.36	25.91	5.09	40.80	.58	41.75	6.46	51.80	.99	71.25	8.43	67.60	1.70	122.30	11.05	88.80
12	1 4/32	.38	27.35	5.23	42.00	.59	42.50	6.51	52.25	1.01	72.65	8.52	68.40	1.75	126.00	11.22	90.00
13	1 5/32	.39	28.10	5.30	42.55	.61	43.90	6.62	53.20	1.05	75.60	8.69	69.70	1.80	129.50	11.37	91.25
14	1 28/32	.40	28.80	5.36	43.05	.63	45.40	6.73	54.00	1.08	77.80	8.82	70.80	1.85	133.10	11.54	92.75
15	2 1/32	.42	30.21	5.49	44.10	.65	46.80	6.84	54.80	1.12	80.60	8.97	72.00	1.90	136.80	11.69	93.80
16	2 2/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.14	82.10	9.06	72.80	1.92	138.10	11.75	94.50
17	2 1/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.14	82.10	9.06	72.80	1.97	141.80	11.90	95.50
18	2 2/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.14	82.10	9.06	72.80	2.00	143.90	11.99	96.25
19	3 1/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.15	82.75	9.09	72.90	1.99	143.20	11.96	96.00
20	3 2/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
21	3 1/32	.42	30.21	5.49	44.10	.68	49.00	7.00	56.20	1.15	82.75	9.09	72.90	1.97	141.80	11.90	95.50
22	3 29/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.16	83.50	9.13	73.35	1.98	142.50	11.93	95.80
23	4 1/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
24	4 1/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.15	82.75	9.09	72.90	1.98	142.50	11.93	95.80
25	4 1/32	.42	30.21	5.49	44.10	.67	48.25	6.94	55.60	1.14	82.10	9.06	72.80	1.96	141.00	11.87	95.40
26	4 29/32	.42	30.21	5.49	44.10	.66	47.50	6.89	55.30	1.13	81.45	9.02	72.45	1.94	139.70	11.81	94.90
27	5 1/32	.40	28.80	5.36	43.05	.64	46.10	6.78	54.45	1.10	79.25	8.90	71.45	1.90	136.80	11.69	93.80
28	5 1/32	.39	28.10	5.30	42.55	.63	45.40	6.73	54.00	1.07	77.00	8.77	70.45	1.83	131.80	11.47	92.10
29	5 17/32	.38	27.35	5.23	42.00	.60	43.20	6.57	52.80	1.03	74.20	8.61	69.10	1.75	126.00	11.22	90.00
30	5 2/32	.37	26.61	5.15	41.35	.58	41.75	6.46	51.80	.98	70.55	8.40	67.50	1.66	120.90	10.98	88.20
31	5 23/32	.35	25.20	5.02	40.30	.54	38.90	6.23	50.00	.96	69.10	8.31	66.75	1.64	118.00	10.86	87.20
32	6 29/32	.34	24.50	4.94	39.60	.53	38.20	6.18	49.60	.93	66.99	8.18	65.70	1.59	114.50	10.69	86.50
33	6 1/32	.33	23.75	4.87	39.20	.52	37.42	6.11	49.10	.89	64.10	8.006	64.40	1.55	111.70	10.56	84.75
34	6 5/32	.32	23.05	4.79	38.45	.50	36.00	6.00	48.20	.86	61.90	7.86	63.10	1.48	106.50	10.31	82.80
35	6 9/32	.31	22.30	4.72	37.90	.48	34.60	5.88	47.25	.83	59.80	7.73	62.05	1.44	103.70	10.17	81.65
36	6 13/32	.29	20.9	4.57	36.80	.47	33.85	5.82	46.70	.80	57.60	7.58	60.09	1.36	98.00	9.89	79.45
37	6 1/32	.28	20.15	4.48	36.00	.44	31.70	5.63	45.30	.78	56.15	7.49	60.10	1.30	93.60	9.67	77.66
38	6 1/32	.25	17.99	4.24	34.00	.42	30.21	5.49	44.10	.73	52.55	7.25	58.25	1.24	89.40	9.45	75.90
39	6 21/32	.24	17.29	4.15	33.30	.40	28.80	5.36	43.05	.69	49.70	7.04	56.50	1.17	84.30	9.18	73.65

RUN No 6 6" PIPE

No	Distance	SPEED No 1				SPEED No 2				SPEED No 3				SPEED No 4			
		Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity	Inches of H_2O	Feet of AIR	$\sqrt{H}$	Mean Velocity
1	1/32	.15	10.90	3.30	26.50	.24	17.45	4.18	33.60	.42	30.55	5.52	44.40	.73	53.10	7.28	58.50
2	2/32	.20	14.55	3.81	30.55	.29	21.08	4.58	36.80	.52	37.80	6.14	49.35	.92	66.90	8.17	65.60
3	3/32	.21	15.29	3.91	31.40	.32	23.25	4.81	38.60	.57	41.45	6.43	51.60	1.01	73.40	8.54	68.50
4	1 3/32	.23	16.72	4.09	32.80	.34	24.85	4.98	40.05	.60	43.60	6.60	53.00	1.03	74.80	8.64	69.40
5	1 2/32	.24	17.45	4.18	33.60	.36	26.20	5.12	41.10	.62	45.20	6.72	53.96	1.05	76.30	8.73	70.10
6	2 1/32	.25	18.18	4.26	34.20	.37	26.90	5.18	41.65	.65	47.30	6.87	55.20	1.10	80.00	8.94	71.75
7	2 29/32	.26	18.90	4.34	34.80	.38	27.61	5.25	42.15	.66	48.00	6.92	55.50	1.14	82.90	9.10	73.00
8	2 9/32	.27	19.61	4.42	35.50	.40	29.10	5.39	43.35	.70	50.90	7.13	57.25	1.19	86.50	9.30	74.60
9	1 1/32	.28	19.61	4.42	35.50	.42	30.55	5.52	44.40	.72	52.40	7.23	58.00	1.23	89.45	9.46	75.90
10	1 5/32	.28	20.35	4.50	36.10	.43	31.30	5.59	44.80	.76	55.30	7.43	59.60	1.28	93.00	9.64	77.35
11	1 3/32	.30	21.81	4.66	37.40	.44	32.00	5.65	45.40	.78	56.75	7.53	60.50	1.33	96.60	9.82	78.80
12	1 13/32	.32	23.25	4.81	38.60	.45	32.75	5.72	45.90	.83	60.40	7.77	62.40	1.38	100.20	10.01	80.50
13	1 7/32	.33	24.00	4.89	39.25	.48	34.90	5.90	47.40	.87	63.25	7.95	63.80	1.43	103.90	10.18	81.70
14	1 25/32	.35	25.45	5.04	40.45	.52	37.80	6.14	49.35	.92	66.90	8.17	65.60	1.58	114.80	10.71	86.10
15	2 1/32	.38	27.61	5.25	42.15	.55	40.00	6.32	50.70	.98	71.25	8.44	67.75	1.68	122.85	11.05	88.75
16	2 9/32	.40	29.10	5.39	43.35	.59	42.90	6.54	52.45	1.03	74.80	8.64	69.40	1.77	128.60	11.33	91.00
17	2 17/32	.41	29.80	5.45	43.75	.61	44.40	6.66	53.50	1.08	78.50	8.86	71.10	1.83	133.00	11.53	92.70
18	2 23/32	.42	30.55	5.52	44.40	.63	45.80	6.76	54.30	1.09	79.25	8.89	71.40	1.88	136.80	11.69	93.80
19	3 3/32	.43	31.30	5.59	44.80	.64	46.50	6.81	54.65	1.10	80.00	8.94	71.75	1.89	137.40	11.71	94.10
20	3 3/32	.43	31.30	5.59	44.80	.63	45.80	6.76	54.30	1.09	79.25	8.89	71.40	1.88	136.80	11.69	93.80
21	3 17/32	.42	30.55	5.52	44.40	.62	45.20	6.72	53.96	1.08	78.50	8.86	71.10	1.84	133.80	11.56	92.80
22	3 29/32	.41	29.80	5.45	43.75	.60	43.60	6.60	53.00	1.04	75.55	8.68	69.70	1.78	129.40	11.36	91.25
23	4 1/32	.39	27.61	5.25	42.15	.57	41.45	6.43	51.60	.98	71.25	8.44	67.75	1.71	124.10	11.14	89.50
24	4 11/32	.36	26.20	5.12	41.10	.54	39.25	6.26	50.30	.95	69.10	8.31	66.75	1.58	114.80	10.71	86.10
25	4 11/32	.33	24.00	4.89	39.25	.51	37.15	6.09	48.90	.91	66.25	8.14	65.35	1.45	105.50	10.27	82.50
26	4 21/32	.31	22.55	4.74	38.00	.48	34.90	5.90	47.40	.83	60.40	7.77	62.40	1.40	101.80	10.08	80.9
27	4 23/32	.30	21.81	4.66	37.40	.46	33.45	5.77	46.40	.80	58.20	7.62	61.20	1.35	98.10	9.90	79.50
28	4 23/32	.29	21.80	4.58	36.80	.44	32.00	5.65	45.40	.75	54.50	7.38	59.35	1.28	93.00	9.64	77.35
29	5 3/32	.28	21.30	4.50	36.10	.43	31.30	5.59	44.80	.73	53.10	7.28	58.50	1.25	90.85	9.52	76.45
30	5 3/32	.27	19.61	4.42	35.50	.41	29.80	5.45	43.75	.70	50.90	7.13	57.25	1.17	85.00	9.21	74.00
31	5 23/32	.26	18.90	4.34	34.80	.39	28.35	5.32	42.75	.68	49.50	7.04	56.50	1.14	82.90	9.10	73.00
32	5 13/32	.25	18.18	4.26	34.20	.37	26.90	5.18	41.65	.65	47.30	6.87	55.20	1.10	80.00	8.94	71.75
33	5 7/32	.24	17.45	4.18	33.60	.36	26.20	5.12	41.10	.60	45.20	6.72	53.96	1.04	77.00	8.77	70.45
34	5 23/32	.23	16.72	4.09	32.80	.34	24.85	4.98	40.05	.60	43.60	6.60	53.00	1.02	74.15	8.61	69.15
35	5 23/32	.21	15.29	3.91	31.40	.32	23.25	4.81	38.60	.57	41.45	6.43	51.60	.93	67.60	8.22	66.00
36	5 29/32	.19	13.81	3.71	29.80	.29	21.08	4.58	36.80	.51	37.15	6.09	48.9				

RUN No. 7. 5" PIPE

No.	Distance	Speed No. 1				Speed No. 2				Speed No. 3				Speed No. 4			
		Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity
1	1/32	.19	10.01	3.16	26.89	.22	15.72	3.96	31.80	.39	27.85	5.28	42.50	.70	50.05	7.07	56.80
2	1/32	.19	13.60	3.67	29.65	.29	20.75	4.55	36.65	.52	37.20	6.09	48.90	.89	63.70	7.98	64.10
3	1/32	.21	15.01	3.87	31.10	.32	22.90	4.78	38.41	.56	40.05	6.32	50.75	.94	67.25	8.20	65.85
4	1/32	.22	16.72	3.96	31.80	.34	24.80	4.92	39.50	.58	41.50	6.44	51.70	1.01	72.25	8.49	68.15
5	1/32	.23	16.45	4.05	32.55	.37	26.50	5.14	41.30	.61	43.60	6.60	53.00	1.06	75.80	8.70	69.90
6	1/32	.24	17.16	4.14	33.20	.38	27.18	5.21	41.90	.64	45.80	6.76	54.30	1.11	79.40	8.91	71.55
7	1/32	.25	17.88	4.22	33.90	.39	27.85	5.28	42.50	.67	47.90	6.92	55.55	1.16	83.00	9.11	73.15
8	1/32	.26	18.59	4.31	34.60	.41	29.30	5.41	43.50	.68	48.60	6.97	56.00	1.21	86.50	9.30	74.60
9	1/32	.27	19.30	4.29	35.25	.43	30.75	5.69	44.50	.71	50.80	7.12	57.15	1.26	90.10	9.49	76.15
10	1/32	.29	20.75	4.55	36.65	.45	32.18	5.67	45.55	.78	55.80	7.46	60.00	1.36	97.25	9.85	79.05
11	1/32	.32	22.90	4.78	38.41	.47	33.60	5.79	46.50	.84	60.01	7.79	62.10	1.46	104.50	10.21	82.00
12	1/32	.34	24.30	4.96	39.50	.51	36.50	6.04	48.50	.88	62.90	7.93	63.70	1.55	111.80	10.57	84.80
13	2/32	.35	25.05	5.005	40.25	.54	38.60	6.21	49.90	.93	66.50	8.16	65.50	1.58	113.00	10.63	85.45
14	2/32	.36	25.75	5.07	40.70	.55	39.85	6.27	50.40	.94	67.25	8.20	66.85	1.60	114.20	10.68	85.80
15	2/32	.35	25.05	5.005	40.25	.54	38.60	6.21	49.90	.89	63.70	7.98	64.10	1.60	114.20	10.68	85.80
16	2/32	.34	24.30	4.92	39.50	.53	37.90	6.15	49.40	.86	61.60	7.84	62.98	1.55	111.80	10.67	84.80
17	3/32	.32	22.90	4.78	38.41	.51	36.60	6.04	48.60	.79	56.50	7.51	60.40	1.46	104.50	10.21	82.00
18	3/32	.30	21.45	4.63	37.20	.47	33.60	5.79	46.50	.70	50.05	7.07	56.80	1.31	93.75	9.68	77.75
19	3/32	.28	20.01	4.43	35.90	.44	31.45	5.60	44.90	.67	47.90	6.92	55.55	1.26	90.10	9.49	76.15
20	3/32	.26	18.59	4.31	34.60	.39	27.85	5.28	42.50	.64	45.80	6.76	54.30	1.15	82.30	9.07	72.80
21	3/32	.25	17.88	4.22	33.90	.36	27.18	5.21	41.90	.61	43.60	6.60	53.00	1.08	77.25	8.79	70.55
22	4/32	.24	17.16	4.14	33.20	.37	26.50	5.14	41.30	.59	42.20	6.49	52.10	1.05	75.01	8.66	69.60
23	4/32	.23	16.45	4.05	32.55	.36	25.75	5.07	40.70	.58	41.50	6.44	51.70	1.01	72.25	8.49	68.15
24	4/32	.22	15.72	3.96	31.80	.34	24.30	4.92	39.50	.54	38.60	6.21	49.90	.96	68.60	8.28	66.50
25	4/32	.21	15.01	3.87	31.10	.32	23.60	4.85	38.95	.53	37.90	6.15	49.40	.92	65.75	8.11	65.15
26	4/32	.20	14.30	3.78	30.35	.31	22.18	4.71	37.80	.51	36.60	6.04	48.50	.88	62.90	7.93	63.70
27	4/32	.19	13.60	3.68	29.55	.28	20.01	4.47	35.90	.47	33.60	5.79	46.50	.86	61.50	7.84	62.98
28	4/32	.17	12.18	3.48	27.98	.24	17.16	4.14	33.20	.40	28.60	5.34	42.80	.82	58.60	7.65	61.50
29	4/32	.15	10.72	3.27	26.25	.22	15.72	3.96	31.80	.39	27.85	5.28	42.50	.71	50.80	7.12	57.20

RUN No. 8. 4½" PIPE.

No.	Distance	Speed No. 1				Speed No. 2.				Speed No. 3.				Speed No. 4.			
		Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity
1	1/32	.20	14.30	3.78	30.35	.27	19.30	4.37	35.25	.46	32.90	5.73	47.00	.78	55.80	7.46	60.00
2	1/32	.24	17.60	4.19	33.20	.36	25.75	5.07	40.70	.59	42.20	6.49	52.10	1.02	72.95	8.54	68.50
3	1/32	.25	17.88	4.22	33.90	.38	27.18	5.21	41.90	.63	45.01	6.70	53.80	1.10	78.60	8.86	71.20
4	1/32	.26	18.59	4.31	34.60	.40	28.60	5.34	42.80	.67	47.90	6.92	55.55	1.13	80.90	8.99	72.20
5	1/32	.27	19.30	4.39	35.25	.41	29.30	5.41	43.50	.67	47.90	7.02	56.40	1.17	83.60	9.14	73.90
6	1/32	.28	20.01	4.47	35.90	.42	30.01	5.47	43.90	.70	50.05	7.07	56.80	1.21	86.50	9.30	74.60
7	1/32	.28	20.01	4.47	35.90	.43	30.75	5.54	44.50	.72	51.50	7.17	57.55	1.25	89.45	9.46	76.00
8	1/32	.29	20.75	4.55	36.55	.44	31.45	5.60	44.90	.74	52.95	7.27	58.90	1.27	90.95	9.52	76.45
9	1/32	.30	21.45	4.63	37.20	.45	32.18	5.67	45.55	.76	54.40	7.37	59.20	1.29	92.20	9.60	77.01
10	1/32	.32	22.90	4.78	38.41	.48	34.35	5.85	47.00	.80	57.25	7.56	60.70	1.35	96.50	9.82	78.90
11	1/32	.33	23.60	4.85	38.95	.51	36.50	6.04	48.50	.87	62.22	7.88	63.40	1.45	103.60	10.16	81.50
12	1/32	.34	25.75	5.07	40.70	.53	37.95	6.27	50.40	.93	66.50	8.15	65.50	1.56	111.50	10.55	84.75
13	2/32	.38	27.18	5.21	41.90	.58	41.50	6.44	51.70	.98	70.05	8.36	67.10	1.64	117.10	10.81	86.91
14	2/32	.40	28.60	5.34	42.80	.60	42.90	6.54	52.50	1.00	71.50	8.45	67.90	1.72	123.00	11.09	89.00
15	2/32	.40	28.60	5.34	42.80	.62	44.40	6.66	53.60	1.02	72.95	8.54	68.50	1.75	125.10	11.18	89.75
16	2/32	.39	27.95	5.28	42.50	.61	43.60	6.60	53.00	1.00	71.50	8.45	67.90	1.72	123.00	11.09	89.00
17	3/32	.38	27.18	5.21	41.90	.60	42.90	6.54	52.50	.98	70.05	8.36	67.10	1.66	118.80	10.89	87.45
18	3/32	.36	25.75	5.07	40.70	.57	40.75	6.38	51.25	.94	67.25	8.20	65.85	1.58	113.00	10.62	84.80
19	3/32	.34	24.30	4.92	39.50	.54	38.60	6.21	49.90	.87	62.22	7.88	63.40	1.45	103.60	10.16	81.50
20	3/32	.33	23.60	4.85	38.95	.50	35.75	5.98	48.00	.81	57.95	7.60	61.01	1.37	97.98	9.89	79.45
21	3/32	.30	21.45	4.63	37.20	.48	34.35	5.85	47.00	.78	55.80	7.46	60.00	1.30	92.95	9.64	77.40
22	3/32	.28	20.01	4.47	35.90	.45	32.18	5.67	46.55	.74	52.95	7.27	58.40	1.25	89.45	9.46	76.00
23	3/32	.27	19.30	4.39	35.25	.42	30.01	5.47	43.90	.68	48.60	6.97	56.00	1.21	86.50	9.30	74.60
24	4/32	.29	17.16	4.14	33.20	.41	29.30	5.41	43.50	.65	46.50	6.81	54.70	1.15	82.30	9.07	72.80
25	4/32	.22	15.72	3.96	31.80	.37	26.50	5.14	41.30	.61	43.60	6.60	53.00	1.06	75.80	8.70	69.90
26	4/32	.21	15.01	3.87	31.10	.33	23.60	4.85	38.95	.55	39.35	6.27	50.40	.92	65.75	8.11	65.15

RUN No. 7. 5" PIPE

No	Distance	SPEED No 1				SPEED No 2.				SPEED No 3.				SPEED No 4			
		Inches of H_2O	Feet of air.	$\sqrt{H.}$	Mean velocity.	Inches of H_2O	Feet of air	$\sqrt{H.}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H.}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H.}$	Mean velocity.
1	1/32	.19	10.01	3.16	25.89	.22	15.72	3.96	31.80	.39	27.85	5.28	42.50	.70	50.05	7.07	56.80
2	2/32	.19	13.60	3.69	29.65	.29	20.75	4.55	36.65	.56	39.20	6.09	48.90	.89	63.70	7.98	64.10
3	3/32	.21	16.01	3.87	31.10	.32	22.90	4.78	38.41	.56	40.05	6.32	50.75	.99	67.25	8.20	65.85
4	4/32	.22	16.72	3.96	31.80	.34	24.00	4.92	39.50	.58	41.60	6.44	51.70	1.01	72.25	8.49	68.15
5	5/32	.23	16.45	4.05	32.65	.37	26.50	5.14	41.30	.61	43.60	6.60	53.00	1.06	75.80	8.70	69.90
6	6/32	.24	17.16	4.14	33.20	.38	27.15	5.21	41.90	.64	45.80	6.76	54.80	1.11	79.40	8.91	71.55
7	7/32	.25	17.88	4.22	33.90	.39	27.85	5.28	42.50	.67	47.90	6.92	55.55	1.16	83.00	9.11	73.15
8	8/32	.26	18.59	4.31	34.60	.41	29.00	5.41	43.50	.68	48.60	6.97	56.00	1.21	84.50	9.30	74.60
9	9/32	.27	19.30	4.39	35.25	.43	30.75	5.54	44.50	.71	50.80	7.12	57.15	1.26	90.10	9.49	76.15
10	10/32	.29	20.75	4.55	36.65	.45	32.15	5.67	45.55	.78	55.80	7.46	60.00	1.36	97.25	9.85	79.05
11	11/32	.32	22.90	4.78	38.41	.47	33.60	5.79	46.50	.84	60.01	7.74	62.10	1.46	104.50	10.21	82.00
12	12/32	.34	24.30	4.92	39.50	.51	36.50	6.04	48.50	.88	62.90	7.93	63.70	1.55	111.80	10.57	84.80
13	13/32	.35	25.05	5.005	40.25	.54	38.60	6.21	49.90	.93	66.60	8.16	65.50	1.63	113.00	10.63	85.45
14	14/32	.36	25.75	5.07	40.70	.55	39.35	6.27	50.40	.94	67.25	8.20	66.85	1.60	114.20	10.68	85.80
15	15/32	.35	25.05	5.005	40.25	.54	38.60	6.21	49.90	.89	63.70	7.98	64.10	1.60	114.20	10.68	85.80
16	16/32	.34	24.30	4.92	39.50	.52	37.90	6.15	49.40	.86	61.60	7.84	62.98	1.55	111.80	10.67	84.80
17	17/32	.32	22.90	4.78	38.41	.51	36.60	6.04	48.50	.79	56.50	7.51	60.40	1.46	104.50	10.21	82.00
18	18/32	.30	21.45	4.63	37.20	.47	33.60	5.79	46.50	.70	52.05	7.07	56.80	1.31	93.75	9.68	77.75
19	19/32	.28	20.01	4.48	36.00	.44	31.45	5.60	44.90	.67	47.90	6.92	55.55	1.26	90.10	9.49	74.15
20	20/32	.26	18.59	4.31	34.60	.39	27.85	5.28	42.50	.64	45.80	6.76	54.30	1.15	82.30	9.07	72.80
21	21/32	.25	17.88	4.22	33.90	.38	27.15	5.21	41.90	.61	43.60	6.60	53.00	1.08	77.25	8.79	70.55
22	22/32	.24	17.16	4.14	33.20	.37	26.50	5.14	41.30	.59	42.20	6.49	52.10	1.05	75.01	8.66	69.60
23	23/32	.23	16.45	4.05	32.65	.36	25.75	5.07	40.70	.58	41.50	6.44	51.70	1.01	72.25	8.49	68.15
24	24/32	.22	15.72	3.96	31.80	.34	24.30	4.92	39.50	.59	38.60	6.21	49.90	.96	68.50	8.28	65.50
25	25/32	.21	15.01	3.87	31.10	.33	23.60	4.85	38.95	.53	37.90	6.15	49.40	.92	65.75	8.1	65.15
26	26/32	.20	14.30	3.78	30.35	.31	22.18	4.71	37.80	.51	36.60	6.04	48.50	.88	64.90	7.93	63.70
27	27/32	.19	13.60	3.68	29.55	.28	20.01	4.47	35.90	.47	33.60	5.79	46.50	.86	61.50	7.84	62.98
28	28/32	.17	12.18	3.48	27.96	.24	17.16	4.14	33.20	.40	28.60	5.34	42.80	.82	58.60	7.65	61.50
29	29/32	.15	10.72	3.27	26.25	.22	15.72	3.96	31.80	.39	27.85	5.28	42.50	.71	50.80	7.12	57.20

RUN No. 8. 4½" PIPE.

No	Distance	SPEED No 1				SPEED No 2.				SPEED No 3.				SPEED No. 4.			
		Inches of H_2O	Feet of air	$\sqrt{H.}$	Mean velocity.	Inches of H_2O	Feet of air.	$\sqrt{H}$	Mean velocity.	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity	Inches of H_2O	Feet of air	$\sqrt{H}$	Mean velocity.
1	1/32	.20	14.30	3.78	30.35	.27	17.30	4.39	35.25	.46	32.90	5.73	47.00	.78	55.80	7.46	60.00
2	2/32	.29	17.60	4.14	33.20	.36	25.75	5.07	40.70	.59	42.20	6.49	52.10	1.02	72.95	8.54	68.50
3	3/32	.25	17.88	4.22	33.90	.38	27.18	5.21	41.90	.63	45.01	6.70	53.80	1.10	78.60	8.86	71.20
4	4/32	.26	18.59	4.31	34.60	.40	28.60	5.34	42.80	.67	47.90	6.92	55.55	1.13	80.90	8.99	72.20
5	5/32	.27	19.30	4.39	35.25	.41	29.30	5.41	43.50	.69	49.40	7.02	56.40	1.17	83.60	9.14	73.40
6	6/32	.28	20.01	4.47	35.90	.42	30.01	5.47	43.90	.70	50.05	7.07	56.80	1.21	86.50	9.30	74.60
7	7/32	.28	20.01	4.47	35.90	.43	30.75	5.54	44.50	.72	51.50	7.17	57.55	1.25	89.45	9.46	76.00
8	8/32	.29	20.75	4.55	36.55	.44	31.45	5.60	44.90	.74	52.95	7.27	58.40	1.27	90.75	9.52	76.45
9	9/32	.30	21.45	4.63	37.20	.45	32.18	5.67	45.55	.76	54.40	7.37	59.20	1.29	92.20	9.60	77.01
10	10/32	.32	22.90	4.78	38.41	.48	34.35	5.85	47.00	.80	57.25	7.56	60.70	1.35	96.50	9.82	78.90
11	11/32	.33	23.60	4.85	38.95	.51	36.50	6.04	48.50	.87	62.22	7.88	63.40	1.45	103.60	10.16	81.50
12	12/32	.36	25.75	5.07	40.70	.55	39.35	6.27	50.40	.93	66.50	8.15	65.50	1.56	111.50	10.55	84.75
13	13/32	.38	27.18	5.21	41.90	.58	41.50	6.44	51.70	.98	70.05	8.36	67.10	1.64	117.10	10.81	86.91
14	14/32	.40	28.60	5.34	42.90	.60	42.90	6.54	52.50	1.00	71.50	8.45	67.90	1.72	123.00	11.09	89.00
15	15/32	.40	28.60	5.34	42.80	.62	44.40	6.66	53.50	1.02	72.95	8.54	68.50	1.75	125.10	11.18	89.75
16	16/32	.39	27.85	5.28	42.50	.61	43.60	6.60	53.00	1.00	71.50	8.45	67.90	1.72	123.00	11.09	89.00
17	17/32	.38	27.18	5.21	41.90	.60	42.90	6.54	52.50	.98	70.05	8.36	67.10	1.66	118.50	10.89	87.45
18	18/32	.36	25.75	5.07	40.70	.57	40.75	6.38	51.25	.91	67.25	8.20	65.85	1.55	110.95	10.52	84.50
19	19/32	.34	24.30	4.92	39.50	.54	38.60	6.21	49.90	.87	62.22	7.88	63.40	1.45	103.60	10.16	81.50
20	20/32	.33	23.60	4.85	38.95	.50	35.75	5.98	48.00	.81	57.95	7.60	61.01	1.37	97.98	9.89	79.45
21	21/32	.30	21.45	4.63	37.20	.48	34.35	5.85	47.00	.79	55.80	7.46	60.00	1.33	95.45	9.64	77.40
22	22/32	.28	20.01	4.47	35.90	.45	32.18	5.67	45.55	.74	52.95	7.27	58.40	1.25	89.45	9.46	76.00
23	23/32	.27	19.30	4.39	35.25	.42	30.01	5.47	43.90	.68	48.60	6.97	56.00	1.21	86.50	9.30	74.60
24	24/32	.29	17.16	4.14	33.20	.41	29.30	5.41	43.50	.65	46.50	6.81	54.70	1.15	82.30	9.07	72.80
25	25/32	.22	15.72	3.96	31.80	.37	26.50	5.14	41.30	.61	43.60	6.60	53.00	1.06	75.80	8.70	69.90
26	26/32	.21	15.01	3.87	31.10	.33	23.60	4.85	38.95	.56	39.35	6.27	50.40	.98	69.95	8.11	65.15

No.	Distance	No.	Distance.	3. Mean velocity.	Speed No. 4. Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1/32 .80	1	1/32	77.00	.78	55.80	7.46	60.00
2	5/32 .10	2	5/32	82.10	1.02	72.95	8.54	68.50
3	9/32 .85	3	9/32	83.80	1.10	78.60	8.86	71.20
4	13/32 .15	4	13/32	86.55	1.13	80.90	8.99	72.20
5	17/32 .40	5	17/32	86.40	1.17	83.60	9.14	73.40
6	21/32 .55	6	21/32	86.80	1.21	86.50	9.30	74.60
7	25/32 .15	7	25/32	87.55	1.25	89.45	9.46	76.00
8	29/32 .60	8	29/32	88.40	1.27	90.75	9.52	76.45
9	1 1/32 .15	9	1 1/32	89.20	1.29	92.20	9.60	77.01
10	1 9/32 .05	10	1 9/32	90.70	1.35	96.50	9.82	78.90
11	1 17/32 .00	11	1 17/32	93.40	1.45	103.60	10.16	81.50
12	1 25/32 .80	12	1 25/32	95.50	1.56	111.50	10.55	84.75
13	2 1/32 .45	13	2 1/32	97.10	1.64	117.10	10.81	86.91
14	2 9/32 .80	14	2 9/32	97.90	1.72	123.00	11.09	89.00
15	2 17/32 .80	15	2 17/32	98.50	1.75	125.10	11.18	89.75
16	2 25/32 .80	16	2 25/32	97.90	1.72	123.00	11.09	89.00
17	3 1/32 .00	17	3 1/32	97.10	1.66	118.80	10.89	87.45
18	3 9/32 .75	18	3 9/32	95.85	1.55	110.95	10.52	84.50
19	3 17/32 .15	19	3 17/32	93.40	1.45	103.60	10.16	81.50
20	3 25/32 .80	20	3 25/32	91.01	1.37	97.98	9.89	79.45
21	3 33/32 .55	21	3 33/32	90.00	1.30	92.95	9.64	77.40
22	4 1/32 9.60	22	3 29/32	88.40	1.25	89.45	9.46	76.00
23	4 5/32 9.15	23	4 1/32	86.00	1.21	86.50	9.30	74.60
24	4 9/32 5.60	24	4 5/32	84.70	1.15	82.30	9.07	72.80
25	4 13/32 5.15	25	4 9/32	83.00	1.06	75.80	8.70	69.90
26	4 17/32 7.70	26	4 13/32	80.40	.92	65.75	8.11	65.15
27	4 25/32 .98							
28	4 33/32 .50							
29	5 1/32 7.20							

Run No. 9. 4" Pipe

No.	Distance	Speed No. 3 Inches of H_2O	Speed No. 3 Feet of air	Speed No. 3 $\sqrt{H}$	Speed No. 3 Mean velocity	Speed No. 2 Inches of H_2O	Speed No. 2 Feet of air	Speed No. 2 $\sqrt{H}$	Speed No. 2 Mean velocity	Speed No. 1 Inches of H_2O	Speed No. 1 Feet of air	Speed No. 1 $\sqrt{H}$	Speed No. 1 Mean velocity	Speed No. 4 Inches of H_2O	Speed No. 4 Feet of air	Speed No. 4 $\sqrt{H}$	Speed No. 4 Mean velocity
1	1/32	.49	36.00	6.00	48.18	.27	19.85	4.45	35.75	.17	12.50	3.53	28.35	.79	58.02	7.61	61.10
2	5/32	.56	41.10	6.41	51.50	.32	23.51	4.84	38.85	.20	14.70	3.83	30.35	.93	68.40	8.27	66.40
3	9/32	.62	45.55	6.74	54.00	.34	24.95	4.99	40.05	.22	16.18	4.02	32.30	1.00	75.00	8.66	69.50
4	13/32	.65	47.80	6.91	55.50	.36	26.45	5.14	41.35	.23	16.19	4.11	33.00	1.08	79.45	8.91	71.50
5	17/32	.69	50.70	7.12	57.20	.38	27.90	5.28	42.50	.24	17.65	4.19	33.65	1.13	83.05	9.11	73.05
6	21/32	.71	52.10	7.21	57.90	.40	29.40	5.42	43.55	.25	18.38	4.28	34.40	1.15	84.50	9.19	73.60
7	25/32	.73	53.60	7.32	58.70	.42	30.85	5.55	44.60	.26	19.10	4.37	35.15	1.17	86.00	9.27	74.40
8	29/32	.74	54.40	7.37	59.15	.43	31.60	5.62	45.15	.27	19.85	4.45	35.75	1.19	87.50	9.35	75.00
9	1 1/32	.76	55.85	7.46	59.90	.44	32.35	5.69	45.70	.28	20.50	4.53	36.40	1.25	91.95	9.58	76.80
10	1 9/32	.79	58.02	7.61	61.10	.46	33.80	5.81	46.70	.30	22.05	4.69	37.75	1.32	97.01	9.84	78.90
11	1 17/32	.86	63.25	7.95	63.80	.50	36.75	6.05	48.55	.32	23.51	4.84	38.85	1.40	103.00	10.14	81.45
12	1 25/32	.91	66.85	8.17	65.55	.53	38.90	6.23	50.05	.35	25.75	5.06	48.65	1.50	110.50	10.50	84.40
13	2 1/32	.98	72.00	8.48	68.00	.56	41.10	6.41	48.55	.37	27.20	5.21	41.85	1.62	119.10	10.90	87.50
14	2 5/32	1.01	73.25	8.56	68.70	.59	43.40	6.58	52.90	.38	27.90	5.28	42.50	1.66	122.10	10.04	88.60
15	2 17/32	1.01	73.25	8.56	68.70	.58	42.60	6.52	52.40	.38	27.90	5.28	42.50	1.65	121.20	11.00	88.40
16	2 25/32	.98	72.00	8.48	68.00	.56	41.10	6.41	51.50	.37	27.20	5.21	41.85	1.60	117.80	10.85	87.05
17	3 1/32	.92	67.55	8.21	65.95	.53	38.90	6.23	50.05	.33	24.25	4.91	39.50	1.52	111.90	10.57	84.80
18	3 5/32	.85	62.45	7.90	63.40	.50	36.75	6.05	48.55	.32	23.51	4.84	38.85	1.42	104.30	10.20	82.00
19	3 9/32	.82	60.03	7.74	62.00	.48	35.30	5.94	47.70	.31	22.80	4.77	38.30	1.37	100.90	10.01	80.50
20	3 13/32	.77	56.55	7.51	60.30	.45	33.08	5.75	46.20	.28	20.59	4.53	36.40	1.30	95.50	9.77	78.45
21	3 17/32	.72	52.90	7.27	58.40	.42	30.85	5.55	44.60	.26	19.10	4.37	35.15	1.21	89.00	9.43	75.55
22	3 21/32	.69	50.70	7.12	57.20	.40	29.40	5.43	43.55	.25	18.38	4.28	34.40	1.15	84.50	9.19	73.70
23	3 25/32	.65	47.80	6.91	55.50	.37	27.20	5.21	41.90	.23	16.90	4.11	33.00	1.06	77.90	8.82	70.75
24	3 29/32	.56	41.10	6.41	51.50	.33	24.25	4.91	39.50	.21	15.43	3.92	31.50	.95	69.80	8.35	67.00

Run No. 10. 3" Pipe

No.	Distance	Speed No. 1 Inches of H_2O	Speed No. 1 Feet of air	Speed No. 1 $\sqrt{H}$	Speed No. 1 Mean velocity	Speed No. 2 Inches of H_2O	Speed No. 2 Feet of air	Speed No. 2 $\sqrt{H}$	Speed No. 2 Mean velocity	Speed No. 3 Inches of H_2O	Speed No. 3 Feet of air	Speed No. 3 $\sqrt{H}$	Speed No. 3 Mean velocity	Speed No. 4 Inches of H_2O	Speed No. 4 Feet of air	Speed No. 4 $\sqrt{H}$	Speed No. 4 Mean velocity
1	1/32	.20	14.70	3.83	30.35	.32	23.51	4.84	38.85	.52	38.20	6.18	49.70	.90	66.15	8.18	65.40
2	5/32	.24	17.65	4.19	33.65	.37	27.20	5.21	41.90	.65	47.80	6.91	55.50	1.10	74.25	8.61	69.20
3	9/32	.27	19.85	4.45	35.75	.42	30.85	5.55	44.60	.70	51.45	7.17	57.55	1.21	89.00	9.43	75.55
4	13/32	.29	21.30	4.61	37.00	.44	32.35	5.69	45.70	.74	54.40	7.37	59.15	1.29	94.75	9.73	78.20
5	17/32	.31	22.80	4.77	38.30	.46	33.80	5.81	46.70	.78	57.35	7.57	60.80	1.33	97.75	9.88	79.45
6	21/32	.32	23.51	4.84	38.85	.49	36.00	6.00	48.18	.81	59.50	7.71	62.30	1.41	103.50	10.16	81.50
7	25/32	.34	24.95	4.99	40.05	.51	37.50	6.12	49.15	.84	61.70	7.85	63.10	1.45	106.50	10.31	82.95
8	29/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.87	63.98	7.99	64.20	1.50	110.50	10.50	84.40
9	1 1/32	.36	26.45	5.14	41.35	.55	40.45	6.36	51.10	.90	66.15	8.13	65.40	1.55	113.90	10.66	85.55
10	1 9/32	.38	27.90	5.28	42.50	.58	42.60	6.52	52.40	.94	69.05	8.30	66.65	1.60	117.80	10.85	87.05
11	1 17/32	.39	28.65	5.35	43.00	.60	44.10	6.63	53.30	.99	72.75	8.53	68.50	1.67	122.80	11.08	89.00
12	1 25/32	.39	28.65	5.35	43.00	.60	44.10	6.63	53.30	.98	72.00	8.48	68.00	1.64	121.00	11.00	88.40
13	2 1/32	.37	27.20	5.21	41.90	.58	42.60	6.52	52.40	.94	69.05	8.30	66.65	1.58	116.10	10.77	86.50
14	2 5/32	.36	26.45	5.14	41.35	.55	40.45	6.36	51.10	.91	66.85	8.17	65.40	1.55	113.90	10.66	85.55
15	2 9/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.90	66.15	8.13	63.40	1.50	110.50	10.50	84.40
16	2 13/32	.33	24.25	4.91	39.50	.51	37.50	6.12	49.15	.85	62.45	7.90	60.80	1.43	105.00	10.24	82.25
17	2 17/32	.31	22.80	4.77	38.30	.48	35.30	5.94	47.70	.78	57.35	7.67	57.80	1.35	99.50	9.95	79.98
18	2 21/32	.29	21.30	4.61	37.00	.45	33.08	5.75	46.20	.73	53.60	7.32	58.70	1.27	93.30	9.65	77.50
19	2 25/32	.27	19.85	4.45	35.75	.38	27.90	5.28	42.50	.64	47.05	6.85	55.00	1.09	80.05	8.94	71.75
20	2 29/32																

No.	No.	Distance	Speed		Speed No. 4.			
			Inches of H_2O.	Feet of air.	Inches of H_2O	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1	1/32	.20	14.70	.90	66.15	8.18	65.40
2	2	5/32	.24	17.65	1.10	74.25	8.61	69.20
3	3	9/32	.27	19.85	1.21	89.00	9.43	75.55
4	4	13/32	.29	21.30	1.29	94.75	9.73	78.20
5	5	17/32	.31	22.80	1.33	97.75	9.88	79.45
6	6	21/32	.32	23.51	1.41	103.50	10.16	81.50
7	7	25/32	.34	24.95	1.45	106.50	10.31	82.95
8	8	29/32	.35	25.75	1.50	110.50	10.50	84.40
9	9	1 1/32	.36	26.45	1.55	113.90	10.66	85.55
10	10	1 9/32	.38	27.90	1.60	117.80	10.85	87.05
11	11	1 17/32	.39	28.65	1.67	122.80	11.08	89.00
12	12	1 25/32	.39	28.65	1.64	121.00	11.00	88.40
13	13	2 1/32	.37	27.20	1.58	116.10	10.77	86.50
14	14	2 5/32	.36	26.45	1.55	113.90	10.66	85.55
15	15	2 9/32	.35	25.75	1.50	110.50	10.50	84.40
16	16	2 13/32	.33	24.25	1.43	105.00	10.24	82.25
17	17	2 17/32	.31	22.80	1.35	99.50	9.95	79.98
18	18	2 21/32	.29	21.30	1.27	93.30	9.65	77.50
19	19	2 25/32	.27	19.85	1.09	80.05	8.94	71.75
20	20	2 29/32						
21								
22								
23								
24								

Run No. 9. 4" Pipe

No.	Distance	Speed No. 3. Inches of H_2O	Speed No. 3. Feet of air	Speed No. 3. $\sqrt{H}$	Speed No. 3. Mean velocity	Speed No. 2. Inches of H_2O	Speed No. 2. Feet of air	Speed No. 2. $\sqrt{H}$	Speed No. 2. Mean velocity	Speed No. 1. Inches of H_2O	Speed No. 1. Feet of air	Speed No. 1. $\sqrt{H}$	Speed No. 1. Mean velocity	Speed No. 4. Inches of H_2O	Speed No. 4. Feet of air	Speed No. 4. $\sqrt{H}$	Speed No. 4. Mean velocity
1	1/32	.19	36.80	6.00	48.18	.27	19.85	4.45	35.76	.17	12.50	3.53	28.35	.79	58.02	7.61	61.10
2	2/32	.56	41.10	6.41	51.50	.32	18.57	4.54	36.85	.20	12.70	3.83	30.35	.98	68.90	8.27	66.40
3	3/32	.62	45.55	6.74	54.00	.34	20.45	4.77	40.05	.22	16.18	4.02	32.30	1.00	75.00	8.66	69.50
4	4/32	.65	47.80	6.91	55.50	.36	21.45	5.14	41.35	.23	16.19	4.11	33.00	1.08	79.95	8.91	71.50
5	5/32	.69	50.70	7.12	57.20	.38	22.90	5.28	42.50	.24	17.65	4.19	33.65	1.13	83.05	9.11	73.05
6	6/32	.71	52.10	7.21	57.90	.40	24.40	5.42	43.55	.25	18.38	4.28	34.40	1.15	84.50	9.19	73.60
7	7/32	.73	53.60	7.32	58.70	.42	25.85	5.55	44.60	.26	19.10	4.37	35.15	1.17	86.00	9.27	74.40
8	8/32	.74	54.40	7.37	59.15	.43	31.60	5.62	45.15	.27	19.85	4.45	35.75	1.19	87.50	9.35	75.00
9	9/32	.76	55.85	7.46	59.90	.44	32.35	5.69	45.70	.28	20.60	4.53	36.40	1.25	91.95	9.58	76.80
10	10/32	.79	58.05	7.61	61.10	.46	33.60	5.81	46.70	.30	22.05	4.69	37.75	1.32	97.01	9.84	78.90
11	11/32	.81	63.25	7.95	63.80	.50	34.75	6.05	48.55	.32	23.51	4.84	38.85	1.40	103.00	10.14	81.45
12	12/32	.91	66.85	8.17	65.55	.53	38.90	6.23	50.05	.35	25.75	5.06	40.65	1.50	110.50	10.50	84.40
13	13/32	.98	72.00	8.48	68.00	.56	41.10	6.41	48.55	.37	27.20	5.21	41.85	1.62	119.10	10.90	87.50
14	14/32	1.01	73.25	8.56	68.70	.57	43.40	6.58	52.90	.38	27.70	5.28	42.50	1.65	121.20	11.00	88.40
15	15/32	1.01	73.25	8.56	68.70	.58	42.60	6.52	52.40	.38	27.90	5.28	42.50	1.65	121.20	11.00	88.40
16	16/32	.98	72.00	8.48	68.00	.56	41.10	6.41	51.50	.37	27.20	5.21	41.85	1.60	117.80	10.85	87.05
17	17/32	.92	67.55	8.21	65.95	.53	38.90	6.23	50.05	.33	24.25	4.91	39.50	1.52	111.90	10.57	84.80
18	18/32	.86	62.45	7.90	63.40	.50	36.75	6.05	48.55	.32	23.51	4.84	38.85	1.42	104.30	10.20	82.00
19	19/32	.82	60.03	7.74	62.00	.49	35.30	5.94	47.70	.31	22.80	4.77	38.30	1.37	100.90	10.01	80.50
20	20/32	.77	56.85	7.51	60.30	.46	33.08	5.75	46.20	.28	20.59	4.53	36.40	1.30	95.50	9.77	78.45
R1	21/32	.76	55.90	7.47	59.40	.45	30.85	5.55	44.60	.26	19.10	4.37	35.15	1.21	89.00	9.43	75.55
R2	22/32	.69	50.70	7.12	57.20	.40	29.40	5.43	43.55	.25	18.38	4.28	34.40	1.15	84.50	9.19	73.70
R3	23/32	.65	47.80	6.91	55.50	.37	27.20	5.21	41.90	.23	16.90	4.11	33.00	1.06	77.90	8.82	70.75
R4	24/32	.56	41.10	6.41	51.50	.33	24.25	4.91	39.50	.21	15.43	3.92	31.50	.98	69.80	8.35	67.00

Run No. 10. 3" Pipe.

No.	Distance	Speed No. 1. Inches of H_2O	Speed No. 1. Feet of air	Speed No. 1. $\sqrt{H}$	Speed No. 1. Mean velocity	Speed No. 2. Inches of H_2O	Speed No. 2. Feet of air	Speed No. 2. $\sqrt{H}$	Speed No. 2. Mean velocity	Speed No. 3 Inches of H_2O	Speed No. 3 Feet of air	Speed No. 3 $\sqrt{H}$	Speed No. 3 Mean velocity	Speed No. 4. Inches of H_2O	Speed No. 4. Feet of air	Speed No. 4. $\sqrt{H}$	Speed No. 4. Mean velocity
1	1/32	.20	14.70	3.83	30.35	.36	23.51	4.84	38.85	.52	38.80	6.18	49.70	.90	66.15	8.13	65.40
2	2/32	.24	17.65	4.19	33.65	.37	27.20	5.21	41.90	.65	47.80	6.91	55.50	1.10	79.25	8.61	69.20
3	3/32	.27	19.85	4.45	35.75	.42	30.85	5.55	44.60	.70	51.45	7.17	57.55	1.21	89.00	9.13	73.55
4	4/32	.29	21.30	4.61	37.00	.44	32.35	5.62	45.20	.74	54.40	7.37	59.15	1.29	94.75	9.73	78.20
5	5/32	.31	22.80	4.77	38.30	.46	33.80	5.81	46.70	.78	57.35	7.57	60.80	1.33	97.75	9.88	79.45
6	6/32	.32	23.51	4.84	38.85	.49	36.00	6.00	48.18	.81	59.50	7.71	62.30	1.41	103.50	10.16	81.50
7	7/32	.34	24.95	4.99	40.05	.51	37.50	6.12	49.15	.84	61.70	7.85	63.10	1.45	106.50	10.31	82.95
8	8/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.87	63.98	7.99	64.80	1.50	110.50	10.50	84.40
9	9/32	.36	26.45	5.14	41.35	.55	40.45	6.36	51.10	.90	66.15	8.13	65.40	1.55	113.90	10.66	85.55
10	10/32	.38	27.90	5.28	42.50	.53	42.60	6.52	52.40	.94	69.05	8.30	66.65	1.60	117.80	10.85	87.05
11	11/32	.39	28.65	5.35	43.00	.60	44.10	6.63	53.30	.97	71.75	8.53	68.50	1.67	122.80	11.08	89.00
12	12/32	.39	28.65	5.35	43.00	.60	44.10	6.63	53.30	.98	72.00	8.48	68.00	1.64	121.00	11.00	88.40
13	13/32	.37	27.20	5.21	41.90	.58	42.60	6.52	52.40	.94	69.05	8.30	66.65	1.58	116.10	10.77	86.50
14	14/32	.36	26.45	5.14	41.35	.55	40.45	6.36	51.10	.91	66.85	8.17	65.60	1.55	113.90	10.66	85.55
15	15/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.90	66.15	8.13	65.40	1.58	116.50	10.80	86.60
16	16/32	.33	24.25	4.91	39.50	.51	37.50	6.12	49.15	.85	62.45	7.90	63.40	1.43	105.10	10.24	82.25
17	17/32	.31	22.80	4.77	38.30	.48	35.30	5.94	47.70	.78	57.35	7.57	60.80	1.45	99.60	9.95	79.78
18	18/32	.29	21.30	4.61	37.00	.45	33.08	5.75	46.20	.73	53.60	7.32	58.70	1.27	93.80	9.65	77.50
19	19/32	.27	19.85	4.45	36.75	.38	27.90	5.28	42.50	.64	47.05	6.85	55.00	1.09	80.05	8.94	71.75
20	20/32																

RUN No. 11 $2\frac{1}{2}$" PIPE.

No	Distance	Speed No. 1				Speed No. 2.				Speed No. 3.				Speed No. 4.			
		Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.	Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity	Inches of H_2O	Feet of air.	$\sqrt{H}$.	Mean velocity	Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1/32	.21	15.43	3.92	31.50	.34	24.98	4.99	40.05	.53	42.60	6.52	52.40	.97	78.75	8.53	68.50
2	5/32	.26	19.10	4.37	35.15	.42	30.85	5.55	44.60	.71	52.10	7.21	57.90	1.25	91.95	9.58	76.80
3	9/32	.29	21.30	4.61	37.00	.45	33.03	5.75	46.20	.77	56.55	7.51	60.30	1.36	99.90	9.99	80.25
4	13/32	.31	22.80	4.77	38.30	.43	35.30	5.94	47.70	.82	60.03	7.74	62.00	1.42	104.30	10.20	81.00
5	17/32	.33	24.25	4.91	39.50	.49	36.00	6.00	48.13	.87	63.93	7.99	64.20	1.45	106.50	10.31	82.95
6	21/32	.34	24.95	4.99	40.05	.52	38.20	6.18	49.70	.91	66.85	8.17	65.55	1.47	108.00	10.39	83.45
7	25/32	.35	25.75	5.06	40.65	.54	39.70	6.30	50.55	.93	68.32	8.27	66.40	1.52	111.90	10.57	84.80
8	29/32	.36	26.45	5.14	41.35	.56	41.10	6.41	51.50	.95	69.80	8.35	67.05	1.56	114.60	10.70	86.00
9	1 1/32	.37	27.20	5.21	41.90	.58	42.60	6.52	52.40	.98	72.00	8.48	68.00	1.60	117.50	10.85	87.05
10	1 9/32	.38	27.90	5.28	42.50	.60	44.10	6.63	53.30	1.01	73.35	8.56	68.70	1.60	123.50	11.12	88.95
11	1 17/32	.39	27.90	5.28	42.50	.59	43.40	6.59	52.90	1.03	75.55	8.69	69.75	1.64	121.00	11.00	88.40
12	1 25/32	.37	27.20	5.21	41.90	.57	41.90	6.47	51.90	.98	72.00	8.48	68.00	1.60	117.50	10.85	87.05
13	1 29/32	.36	26.45	5.14	41.35	.54	39.70	6.30	50.55	.94	69.05	8.30	66.65	1.55	113.90	10.66	85.55
14	2 1/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.91	66.55	8.17	65.55	1.50	110.50	10.50	84.40
15	2 5/32	.34	24.95	4.99	40.05	.51	37.50	6.12	49.15	.88	64.55	8.02	64.40	1.46	107.20	10.35	83.10
16	2 9/32	.31	22.80	4.77	38.30	.49	36.00	6.00	48.13	.84	61.70	7.85	63.10	1.39	102.05	10.09	81.00
17	2 13/32	.29	21.30	4.61	37.00	.45	33.03	5.75	46.20	.79	57.35	7.57	60.80	1.33	97.75	9.88	79.45
18	2 17/32	.26	19.10	4.37	35.15	.42	30.85	5.55	44.60	.67	52.70	7.12	57.20	1.15	84.50	9.19	73.70

#11

No

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

RUN No. 11 $2\frac{1}{2}$" PIPE.

No.	Distance.	Speed No. 1				Speed No. 2.				Speed No. 3.				Speed No. 4.			
		Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.	Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity	Inches of H_2O	Feet of air.	$\sqrt{H}$	Mean velocity	Inches of H_2O.	Feet of air.	$\sqrt{H}$.	Mean velocity.
1	1/32	.21	15.43	3.92	31.50	.34	24.76	4.97	40.05	.58	42.60	6.52	52.40	.99	72.75	8.53	68.50
2	2/32	.26	19.10	4.37	35.15	.42	30.85	5.55	44.60	.71	52.10	7.21	57.90	1.25	91.95	9.55	76.80
3	3/32	.29	21.30	4.61	37.00	.45	33.05	5.75	46.20	.77	56.55	7.51	60.30	1.36	99.90	9.99	80.25
4	4/32	.31	22.80	4.77	38.30	.48	35.30	5.94	47.70	.82	60.23	7.74	62.00	1.42	104.30	10.20	82.00
5	5/32	.33	24.25	4.91	39.50	.49	36.00	6.00	48.10	.87	63.98	7.99	64.20	1.45	106.52	10.31	82.95
6	6/32	.34	24.95	4.99	40.05	.52	38.20	6.18	49.70	.91	66.85	8.17	65.55	1.47	108.00	10.39	83.45
7	7/32	.35	25.75	5.06	40.65	.54	39.70	6.30	50.55	.98	69.40	8.27	66.40	1.52	111.90	10.57	84.80
8	8/32	.36	26.45	5.14	41.30	.56	41.10	6.41	51.50	.95	69.20	8.35	67.05	1.56	114.60	10.70	86.00
9	9/32	.37	27.20	5.21	41.90	.58	42.60	6.52	52.40	.98	72.00	8.48	68.00	1.60	117.50	10.85	87.05
10	10/32	.38	27.90	5.28	42.50	.60	44.10	6.63	53.30	1.01	73.25	8.56	68.70	1.63	119.80	10.95	87.95
11	11/32	.38	27.90	5.28	42.50	.57	43.40	6.58	52.90	1.03	75.55	8.69	69.75	1.64	121.00	11.00	88.40
12	12/32	.37	27.20	5.21	41.90	.57	41.90	6.47	51.90	.98	72.00	8.48	68.00	1.60	117.50	10.85	87.05
13	13/32	.36	26.45	5.14	41.35	.54	39.70	6.30	50.55	.94	69.05	8.30	66.65	1.55	113.90	10.66	85.55
14	14/32	.35	25.75	5.06	40.65	.53	38.90	6.23	50.05	.91	66.85	8.17	65.55	1.50	110.50	10.50	84.40
15	15/32	.34	24.95	4.99	40.05	.51	37.50	6.12	49.15	.88	64.55	8.02	64.40	1.46	107.50	10.35	83.10
16	16/32	.31	22.80	4.77	38.30	.49	36.00	6.00	48.10	.84	61.70	7.85	63.10	1.39	102.05	10.09	81.00
17	17/32	.29	21.30	4.61	37.00	.45	33.05	5.75	46.20	.78	57.35	7.57	60.80	1.33	97.75	9.88	79.45
18	18/32	.26	19.10	4.37	35.15	.42	30.85	5.55	44.60	.69	50.70	7.12	57.20	1.15	84.50	9.19	73.70